

Utah's Healthy People 2010 (HP2010) Priority Objectives

The 28 .pdf files listed on this webpage represent Utah's priority objectives for the U.S. Public Health Service's Healthy People 2010 (HP2010) initiative. The Utah Department of Health identified priority objectives for surveillance and intervention. That information was collected in 2003, and is in the process of being updated.

The HP2010 document is organized into 28 focus areas, listed below. In addition to these 28 areas, HP2010 has two over-arching objectives:

- Increase quality and years of healthy life, and
- Eliminate health disparities

Please note the .pdf file called "Key to Database Fields - Definitions." This file provides keys to abbreviations used throughout the other focus area files.

Key to Database Fields-Definitions

- [1. Access to Quality Health Services](#)
- [2. Arthritis, Osteoporosis, and Chronic Back Conditions](#)
- [3. Cancer](#)
- [4. Chronic Kidney Disease](#)
- [5. Diabetes](#)
- [6. Disability and secondary Conditions](#)
- [7. Educational and Community-Based Programs](#)
- [8. Environmental Health](#)
- [9. Family Planning](#)
- [10. Food Safety](#)
- [11. Health communication](#)
- [12. Heart Disease and Stroke](#)
- [13. HIV](#)
- [14. Immunization and Infectious Diseases](#)
- [15. Injury and Violence Prevention](#)
- [16. Maternal, Infant, and Child Health](#)
- [17. Medical Product Safety](#)
- [18. Mental Health and Mental Disorders](#)
- [19. Nutrition and Overweight](#)
- [20. Occupational Safety and Health](#)
- [21. Oral Health](#)
- [22. Physical Activity and Fitness](#)
- [23. Public Health Infrastructure](#)
- [24. Respiratory Diseases](#)
- [25. Sexually Transmitted diseases](#)
- [26. Substance Abuse](#)
- [27. Tobacco use](#)
- [28. Vision and Hearing](#)

Key to Database Fields - Definitions

US HP2010 Fields

The information in these database fields was downloaded from the HP2010 data website. They have not been modified, and contain strictly what information was downloaded.

Obj Num

Objective Number. Begins with the focus area number, then gives the objective number, and sub-objective (if applicable)

Category

Many of the focus areas have grouped objectives into various categories. They differ depending on the focus area, thus the rather generic term, "category."

Objective

This is the short title text for the HP2010 objective.

2010 US Target

The US target value for the year 2010.

Utah-Specific Fields

The following database fields were added to the original HP2010 fields to store information provided by UDOH programs.

Pop Cat (Population Category)

- Main ("Main" refers to the entire Utah population, as defined by the measure.)
- Sub1, Sub2, etc. (specify sub-population, e.g., Hispanic persons, low-income households, persons without health insurance coverage, adolescents, GLB, single parents, etc.).

Population Description

Short text description of the subpopulation listed in Pop Cat sub1, sub2, etc.

Lead Agency

UDOH Division and Bureau/Program - entity responsible for making decisions regarding HP2010 tracking and priorities. The following abbreviations are used in the UDOH HP2010 priorities document.

CFHS Community and Family Health Services

CFHS (Arthritis) Arthritis Program

CFHS (Cancer) Cancer Prevention and Control

CFHS (CSHCN) Children With Special Health Care Needs

CFHS (CVH) Cardiovascular Health Program

CFHS (DCP) Diabetes Prevention and Control Program

CFHS (HlthP't'n) Health Promotion

CFHS (IM) Immunization Program

CFHS (MCH) Bureau of Maternal and Child Health

CFHS (Oral) Oral Health Program

CFHS (RHP) Reproductive Health Program

CFHS (Tobacco) Tobacco Prevention and Control Program

CFHS (VIPP) Violence and Injury Prevention Program

CFHS (USCHPA) Workplace Wellness initiative, Health Promotion

EDO Executive Director's Office

EDO (PIO) Public Information Officer

ELS (EEP) Environmental Epidemiology Program

ELS (Epi) Office of Epidemiology

ELS (FSEH) Food Safety and Environmental Health

ELS (HIV) HIV/AIDS Surveillance Program

ELS (SP) Disease and Outbreak Management
(formerly Surveillance Program)

ELS (STD) STD Control Program

HCF UDOH Division of Health Care Financing (Medicaid)

Disparity UDOH Div of Hlth Systems Improvement,
Disparity Reduction Initiative

SOE Utah State Office of Education

DHS Utah Department of Human Services

Level of Interest

- UDOH: Department wide interest. Use this level if you know that the issue is a department-level priority, if you want the measure to appear in the Utah Public Health Outcome Measures Report.
- D/P: Division or program level interest, but does not rise to department level.
- LHD: Not statewide, but tracked at one or more LHDs
- N: Not a priority at this time

Type of Interest

- S&I: Surveillance and intervention
- S: Surveillance only
- NS: No surveillance planned

Modified?

Was the exact HP2010 measure used, as defined in the HP2010 documentation? Or have you modified the definition to better suit your program needs, or the available data?

Data source to be used.

List the data source, or data source abbreviation. Some of the more commonly-used data sources include:

- Birth (Vital records, birth certificate database)
- Death (Vital records, death certificate database)
- BRFSS (Behavioral Risk Factors Surveillance System household survey)
- HSS (Utah Health Status Survey)
- PRAMS (Pregnancy Risk Assessment and Monitoring System)
- YRBS (Youth Risk Behavior Survey)
- Hospital Inpatient Database
- Hospital Emergency Department Database
- Cancer Registry
- PNSS (Pregnancy Nutrition Surveillance System)
- PedNSS (Pediatric Nutrition Surveillance System)
- NETSS (Registry of Notifiable Disease Cases)
- TIMS (Tuberculosis Information Management System)
- STD-MIS (Registry of sexually transmitted diseases and case management)
- EMS (pre-hospital emergency treatment and transport data)

Utah baseline

What was the year 2000 value for this measure?

Utah target

What is the Utah target for the year 2010?

UT Target Selection - How target was selected

How did the program arrive at the target value? (e.g., 10% improvement, same as US/HP2010, better than the best, expert opinion, etc.)

Focus Area	1 Title	Access to Quality Health Services	Goal	Improve access to comprehensive, high-quality health care services.									
Obj Num	Category	Objective	2010 US Target	Pop Cat	Population Description	Lead Agency	Level of Interest	Type of Interest	Modified	Data Source	UT Baseline	UT Target	UT Target Selection
01.01	Clinical Preventive Care	Persons with health insurance (age adjusted, ages under 65 years)	1	main		HCF	UDOH	S & I	Yes	UHSS	.9056	1.0	
01.02	Clinical Preventive Care	Health insurance coverage for clinical preventive services	DNC	main		HCF	UDOH	NS	Yes	UHSS	To be developed		
01.03a	Clinical Preventive Care	Counseling about health behaviors - Physical activity or exercise (ages 18 years and older)	DNC	main		HCF	D/P	S & I	Yes	HEDIS	0.6	0.8	20% improvement
01.03b	Clinical Preventive Care	Counseling about health behaviors - Diet and nutrition (ages 18 years and older)	DNC	main		HCF		NS					
01.03c	Clinical Preventive Care	Counseling about health behaviors - Smoking cessation (smokers aged 18 years and older)	DNC	main		HCF		NS					
01.03d	Clinical Preventive Care	Counseling about health behaviors - Reduced alcohol consumption (ages 18 years and older with excessive alcohol consumption)	DNC	main		HCF		NS					
01.03e	Clinical Preventive Care	Counseling about health behaviors - Childhood injury prevention: vehicle restraints and bicycle helmets (ages 17 years and younger)	DNC	main		HCF		NS					
01.03f	Clinical Preventive Care	Counseling about health behaviors - Unintended pregnancy (females aged 15 to 44 years)	0.5	main		HCF		NS					
01.03g	Clinical Preventive Care	Counseling about health behaviors - Prevention of sexually transmitted diseases (males aged 15 to 49 years, females aged 15 to 49 years)	DNC	main		HCF		NS					
01.03h	Clinical Preventive Care	Counseling about health behaviors - Management of menopause (females aged 46 to 56 years)	DNC	main		HCF		NS					
01.04a	Primary Care	Source of ongoing care (age adjusted, all)	0.96	main		HCF	UDOH	S	Yes	UHSS	.912	.96	
01.04b	Primary Care	Source of ongoing care (age adjusted, children and youth aged 17 years and under)	0.97	main		HCF	UDOH	S	Yes	UHSS	.96	.97	
01.04c	Primary Care	Source of ongoing care (age adjusted, ages 18 years and older)	0.96	main		HCF	UDOH	S & I	Yes	UHSS	.924	.96	

<i>Focus Area</i>	1 <i>Title</i> Access to Quality Health Services	<i>Objective</i>	<i>Goal</i> Improve access to comprehensive, high-quality health care services.	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
01.05	Primary Care	Persons with a usual primary care provider		0.85	main		HCF		S	Yes	UHSS	Set in 2003	?	
01.06	Primary Care	Difficulties or delays in obtaining needed health care		0.07	main		HCF		S	Yes	UHSS	Set in 2003	?	
01.07	Primary Care	(Core competencies in health provider training) - Health professional training schools		DNC	main		HCF	CFHS	S & I	Yes	TBD	NA	TBDT	BUDT
01.09a	Primary Care	Hospitalization for ambulatory-care-sensitive conditions - Pediatric asthma (admissions per 10,000 population, ages under 18 years)		17.3	main		HCF	UDOH	S&I	No	Hospital Discharge Data	to be developed	to be developed	
01.09b	Primary Care	Hospitalization for ambulatory-care-sensitive conditions - Uncontrolled diabetes (admissions per 10,000 population, ages 18 to		5.4	main		HCF	UDOH	S&I	No	Hospital Discharge Data	to be developed	to be developed	
01.09c	Primary Care	Hospitalization for ambulatory-care-sensitive conditions - Immunization-preventable pneumonia or influenza (admissions per 10,000 population, ages 65 years and older)		8	main		HCF	UDOH	S&I	No	Hospital Discharge Data	to be developed	to be developed	
01.10	Emergency Services	Delay or difficulty in getting emergency care		DNC	main		HCF	UDOH	S	No				
01.11	Emergency Services	Rapid pre-hospital emergency care		DNC	main		HCF		NS					
01.12	Emergency Services	Single toll-free number for poison control centers		1	main		HCF		NS					
01.13	Emergency Services	Trauma care systems (number of States and the District of Columbia)		51	main		HCF		NS					
01.14a	Emergency Services	Special needs of children - Pediatric protocols for online medical direction (number of States and the District of Columbia)		51	main		HCF		NS					
01.14b	Emergency Services	Special needs of children - Pediatric guidelines for emergency and critical care (number of States and the District of Columbia)		51	main		HCF		NS					

Focus Area 1 Title Access to Quality Health Services Goal Improve access to comprehensive, high-quality health care services.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
01.15	Long-Term and Rehabilitative Services	Long-term care services - Persons with long-term care needs who have access to	DNC	main		HCF		NS					
01.16	Long-Term and Rehabilitative Services	Pressure ulcers among nursing home residents (diagnosis per 1,000 residents)	8	main		HCF		NS					

Focus Area	2 Title	Arthritis, Osteoporosis, and Chronic Back Conditions	Goal	Prevent illness and disability related to arthritis and other rheumatic conditions, osteoporosis, and chronic back conditions.									
Obj Num	Category	Objective	2010 US Target	Pop Cat	Population Description	Lead Agency	Level of Interest	Type of Interest	Modified	Data Source	UT Baseline	UT Target	UT Target Selection
02.01	Arthritis and Other Rheumatic Conditions	Mean number of days without severe pain (adults with chronic joint symptoms aged 18 years and older)	DNC	main		CFHS (arthritis)	D/P	S&I	N	BRFSS	developmental		
02.02	Arthritis and Other Rheumatic Conditions	Activity limitations due to arthritis (age adjusted, adults with chronic joint symptoms aged 18 years and older)	0.21	main		CFHS (arthritis)	D/P	S&I	N	BRFSS	0.32	0.21	HP 2010
02.03	Arthritis and Other Rheumatic Conditions	Personal care limitations (age adjusted, adults with chronic joint symptoms aged 18 years and older)	0.014	main		CFHS (arthritis)	D/P	S	N	BRFSS	available soon		
02.04	Arthritis and Other Rheumatic Conditions	Help in coping - With personal and emotional problems (adults with arthritis aged 18 years and older)	DNC	main		CFHS (arthritis)	D/P	S	N	BRFSS	developmental		
02.05	Arthritis and Other Rheumatic Conditions	Employment rate (age adjusted, adults with arthritis aged 18 to 64 years)	0.78	main		CFHS (arthritis)		NS					
02.06	Arthritis and Other Rheumatic Conditions	Racial differences in total knee replacement	DNC	main		CFHS (arthritis)		NS					
02.07	Arthritis and Other Rheumatic Conditions	Seeing a health care provider (age adjusted, adults with chronic joint symptoms aged 18 years and older)	DNC	main		CFHS (arthritis)	D/P	S&I	N	BRFSS	developmental		
02.08	Arthritis and Other Rheumatic Conditions	Arthritis education (adults with arthritis aged 18 years and older)	DNC	main		CFHS (arthritis)	D/P	S&I	N	BRFSS	developmental		
02.09	Osteoporosis	Cases of osteoporosis (age adjusted, adults aged 50 years and older)	0.08	main		CFHS (arthritis)		NS					

Focus Area **2 Title** Arthritis, Osteoporosis, and Chronic Back Conditions **Goal** Prevent illness and disability related to arthritis and other rheumatic conditions, osteoporosis, and chronic back conditions.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
02.10	Osteoporosis	Hospitalization for vertebral fractures (age adjusted per 10,000 standard population, adults aged 65 years and older)	14	main		CFHS (arthritis)		NS					
02.11	Back Conditions	Activity limitations due to chronic back conditions (age adjusted per 1,000 standard population, adults aged 18 years and older)	25	main		CFHS (arthritis)		NS					

Focus Area **3 Title Cancer**

Goal **Reduce the number of new cancer cases as well as the illness, disability, and death caused by cancer.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
03.01		Overall cancer deaths (age adjusted per 100,000 standard population) (ICD-9: 140-208)	159.9	main		CHFS (cancer)	UDOH	S	N	death	164.6/100K in 1998	144.1/100K in 2010	12% Imp
03.02		Lung cancer deaths (age adjusted per 100,000 standard population) (ICD-9: 162.2 - 162.9)	44.9	main		CHFS (cancer)	UDOH	S	N	death	27.6/100K in 1998	24.8/100K in 2010	10% Imp
03.03		Female breast cancer deaths (age adjusted per 100,000 standard population) (ICD-9: 174)	22.3	main		CHFS (cancer)	UDOH	S	N	death	27.6/100K women in 1998	22.3/100K women in 2010	HP2010 target
03.04		Cervical cancer deaths (age adjusted per 100,000 standard population) (ICD-9: 180)	2	main		CHFS (cancer)	D/P	S	N	death	1.1/100K women in 1998	1.0/100K women in 2010	5% Imp
03.05		Colorectal cancer deaths (age adjusted per 100,000 standard population) (ICD-9: 153.0-154.1, 159.0)	13.9	main		CHFS (cancer)	UDOH	S	N	death	18.8/100K in 1998	15.0/100K in 2010	20% Imp
03.06		Oropharyngeal cancer deaths (age adjusted per 100,000 standard population) (ICD-9: 141-149)	2.7	main		CHFS (cancer)	D/P	S	N	death	1.8/100K in 1998	1.6/100K in 2010	10% Imp
03.07		Prostate cancer deaths (age adjusted per 100,000 standard population) (ICD-9: 185)	28.8	main		CHFS (cancer)	UDOH	S	N	death	38.2/100K men in 1998	20.0/100K men in 2010	HP2010 target
03.08		Melanoma deaths (age adjusted per 100,000 standard population) (ICD-9: 172)	2.5	main		CHFS (cancer)	D/P	S	N	death	3.9/100K in 1998	2.5/100K in 2010	HP2010 target
03.09a		Sun exposure and skin cancer - Adolescents who use at least 1 of the 3 protective measures (grades 9 through 12)	DNC	main		CHFS (cancer)			NS				
03.09b		Sun exposure and skin cancer - Adults who use at least 1 of the 3 protective measures (age adjusted, ages 18 years and older)	0.75	main		CHFS (cancer)	D/P	S	N	BRFSS	63.9% in 2000	75.0% in 2010	HP2010 target
03.10a		Provider counseling about cancer prevention - Internists - smoking cessation	0.85	main		CHFS (cancer)			NS				
03.10b		Provider counseling about cancer prevention - Family physicians - smoking cessation	0.85	main		CHFS (cancer)			NS				
03.10c		Provider counseling about cancer prevention - Dentists - smoking cessation	0.85	main		CHFS (cancer)			NS				

Focus Area **3 Title Cancer**

Goal Reduce the number of new cancer cases as well as the illness, disability, and death caused by cancer.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
03.10d		Provider counseling about cancer prevention - Primary care providers - blood stool tests	0.85	main		CHFS (cancer)		NS					
03.10e		Provider counseling about cancer prevention - Primary care providers - proctoscopic examinations	0.85	main		CHFS (cancer)		NS					
03.10f		Provider counseling about cancer prevention - Primary care providers - mammograms	0.85	main		CHFS (cancer)		NS					
03.10g		Provider counseling about cancer prevention - Primary care providers - Pap tests	0.85	main		CHFS (cancer)		NS					
03.10h		Provider counseling about cancer prevention - Primary care providers - physical activity	0.85	main		CHFS (cancer)		NS					
03.11a		Pap tests - Ever received (age adjusted, ages 18 years and older)	0.97	main		CHFS (cancer)		NS					
03.11b		Pap tests - Received within past 3 years (age adjusted, ages 18 years and older)	0.9	main		CHFS (cancer)	D/P	S & I	N	BRFSS	79.1% in 2000	90% in 2010	HP2010 target
03.11b		Pap tests - Received within past 3 years (age adjusted, ages 18 years and older)	0.9	sub1	Asian/Pacific Islander	Disparity	D/P	S & I	N	BRFSS	Asian/PI 69.3% in 1998-2000	Asian/PI 76.2% in 2010	10% Imp
03.11b		Pap tests - Received within past 3 years (age adjusted, ages 18 years and older)	0.9	sub2	Women with no health insurance coverage	Disparity	D/P	S & I	N	BRFSS	No Ins 71.8% in 2000	No Ins 80.0% in 2010	10% Imp
03.12a		Colorectal cancer screening - Adults who received a fecal occult blood test (FOBT) within past 2 years (age adjusted, ages 50 years and older)	0.5	main		CHFS (cancer)	UDOH	S & I	N	BRFSS	19.7% in 2000	50% in 2010	HP2010 target
03.12b		Colorectal cancer screening - Adults who ever received a sigmoidoscopy (age adjusted, ages 50 years and older)	0.5	main		CHFS (cancer)	UDOH	S & I	N	BRFSS	44.8% in 2000	65% in 2010	HP2010 target
03.13		Mammograms - Adults receiving within past 2 years (age adjusted, females aged 40 years and older)	0.7	main		CHFS (cancer)	UDOH	S & I	N	BRFSS	73.1% in 2000	80% in 2010	10% Imp

Focus Area 3 Title Cancer

Goal Reduce the number of new cancer cases as well as the illness, disability, and death caused by cancer.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
03.13		Mammograms - Adults receiving within past 2 years (age adjusted, females aged 40 years and older)	0.7	sub1	Women with no health insurance coverage	Disparity	UDOH	S & I	N	BRFSS	No Ins 44.9% in 2000	No Ins 53.9% in 2010	20% Imp
03.14		Statewide cancer registries (number of States)	45	main		CHFS (cancer)							NS
03.15		Cancer survival - Persons living 5 or more years after diagnosis	0.7	main		CHFS (cancer)							NS

Focus Area **4 Title Chronic Kidney Disease** **Goal Reduce new cases of chronic kidney disease and its complications, disability, death, and economic costs.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency (Hlth P't'n)</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
04.01		End-stage renal disease - New cases (per million population)	217	main		CFHS (Hlth P't'n)		S&I		ESRD Network 15	TBD	TBD	Expert
04.02		Cardiovascular disease deaths in persons with chronic kidney failure (per 1,000 patient years at risk)	52	main		CFHS (Hlth P't'n)		NS					
04.03		Counseling for chronic kidney failure care	0.6	main		CFHS (Hlth P't'n)		NS					
04.04		Use of arteriovenous fistulas	0.5	main		CFHS (Hlth P't'n)		NS					
04.05		Registration for kidney transplantation (ages under 70 years)	0.66	main		CFHS (Hlth P't'n)		NS					
04.06		Waiting time for kidney transplantation - Persons who receive a kidney transplant within 3 years of registration on the waiting list (per 1,000 patient years risk)	51	main		CFHS (Hlth P't'n)		NS					
04.07		Kidney failure due to diabetes (per million population)		main		CFHS (DCP)	D/P	S & I	N	ESRD Network 15	103/million	78	US Target
04.08		Medical therapy for persons with diabetes and proteinuria	DNC	main		CFHS (Hlth P't'n)		NS					

Focus Area **5 Title Diabetes**

Goal Through prevention programs, reduce the disease and economic burden of diabetes, and improve the quality of life for all persons who have or are at risk for diabetes.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
05.01		Diabetes education (age adjusted, ages 18 years and older)	0.6	main		CFHS (DCP)	D/P	S & I	N	BRFSS; DM Survey	0.16	0.35	US Target
05.02		New cases of diabetes (age adjusted per 1,000 standard population)	2.5	main		CFHS (DCP)		NS		Estimated using UHSS 01 and 96??			
05.03		Prevalence of diagnosed diabetes (age adjusted per 1,000 standard population)	25	main		CFHS (DCP)	UDOH	S & I	N	UHSS	0.029	0.025	US Target
05.04		Proportion of persons with diabetes (adults aged 20 years and older)	0.8	main		CFHS (DCP)		NS					
05.05		Diabetes-related deaths (age adjusted per 100,000 standard population)	45	main		CFHS (DCP)		NS		Death Cert	73.7	45	US Target
05.06		Diabetes-related deaths among persons with diabetes (age adjusted per 1,000 standard population)	7.8	main		CFHS (DCP)	UDOH	S & I	N	Death Cert	8.3/1000	7.8/1000	US Target
05.07		Cardiovascular disease deaths among persons with diabetes (age adjusted per 100,000 standard population)	309	main		CFHS (DCP)	D/P	S & I	N	Death Cert	223/100K (Wt = 9)	201/100K	10% reduction
05.08		Gestational diabetes - Pregnant women	DNC	main		CFHS (DCP)	D/P	NS		Birth Cert	0.021	0.019	10% reduction
05.09		Foot ulcers - Persons with diabetes	DNC	main		CFHS (DCP)		NS					
05.10		Lower extremity amputations - Persons with diabetes (per 1,000 population)	1.8	main		CFHS (DCP)	D/P	S & I	N	HDD/ADD	3.9/1000	3.0/1000	Expert
05.11		Annual urinary microalbumin measurement - Persons with diabetes	DNC	main		CFHS (DCP)	D/P	S & I	N	HEDIS	0.31	0.5	Expert
05.12		Annual glycosylated hemoglobin measurement - Persons with diabetes - Mean data from 39 States (age adjusted, ages 18 years and older)	0.5	main		CFHS (DCP)	D/P	S & I	N	BRFSS/ UWD	0.53	0.75	Expert

Focus Area **5 Title Diabetes**

Goal Through prevention programs, reduce the disease and economic burden of diabetes, and improve the quality of life for all persons who have or are at risk for diabetes.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
05.12		Annual glycosylated hemoglobin measurement - Persons with diabetes - Mean data from 39 States (age adjusted, ages 18 years and older)	0.5	sub1	Annual glycosylated hemoglobin -Hispanic	DCP	D/P	S & I	N	Hisp Srvy	TBD	TBD	
05.13		Annual dilated eye examinations - Persons with diabetes (age adjusted, ages 18 years and older)	0.75	main		CFHS (DCP)	D/P	S & I	N	BRFSS/ UWD (also HEDIS)	0.71	0.75	
05.13		Annual dilated eye examinations - Persons with diabetes (age adjusted, ages 18 years and older)	0.75	sub1	Annual dilated eye examinations - A.I. Utahns	DCP	D/P	S & I	N	BRFSS	0.87	0.96	Expert
05.13		Annual dilated eye examinations - Persons with diabetes (age adjusted, ages 18 years and older)	0.75	sub2	Annual dialted eye exams - Hispanic	DCP	D/P	S & I	N	Hisp. Srvy	0.64	0.7	Expert
05.14		Annual foot examinations - Persons with diabetes Mean data from 39 states (age adjusted, ages 18 years and older)	0.75	main		CFHS (DCP)	D/P	S & I	N	UWD	0.56	0.75	US Target
05.14		Annual foot examinations - Persons with diabetes Mean data from 39 states (age adjusted, ages 18 years and older)	0.75	sub1	Annual foot examinations - A.I. Utahns	DCP	D/P	S & I	N	BRFSS	0.85	0.94	Expert
05.14		Annual foot examinations - Persons with diabetes Mean data from 39 states (age adjusted, ages 18 years and older)	0.75	sub2	Annual foot examinations - Hispanic	DCP	D/P	S & I	N	Hisp. Srvy	0.76	0.84	Expert
05.15		Annual dental examinations - Persons with diabetes (age adjusted, ages 2 years and	0.75	main		CFHS (DCP)	D/P	S & I	N	18+ BRFSS/ UWD			
05.16		Aspirin therapy - Persons with diabetes - At least 15 times per month (age adjusted, ages 40 years and older)	0.3	main		CFHS (DCP)		NS		BRFSS/ UWD	TBD	TBD	TBD
05.17		Self-blood-glucose-monitoring - Persons with diabetes - At least once daily - Mean data from 39 states (age adjusted, ages 18 years and older)	0.6	main		CFHS (DCP)	D/P	S & I	N	BRFSS/ UWD	0.72	0.9	Expert

<i>Focus Area</i>	<i>6 Title</i>	<i>Disability and Secondary Conditions</i>	<i>Goal Promote the health of people with disabilities, prevent secondary conditions, and eliminate disparities between people with and without disabilities in the U.S. population.</i>										
<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
06.01		Standard definition of people with disabilities in data sets	1	main		CFHS (CSHCN)	D/P	NS	Same				
06.02		Sadness or depression among children with disabilities (ages 4 to 11 years)	0.17	main		CFHS (CSHCN)	D/P	NS	Same	Child Health survey for Baseline, but nothing available ongoing.			
06.03		Negative feelings interfering with activities among adults with disabilities (age adjusted, ages 18 years and older)	0.07	main		CFHS (CSHCN)	NI	NS					
06.04		Social participation among adults with disabilities (age adjusted, ages 18 years and older)	1	main		CFHS (CSHCN)	NI	NS					
06.05		Sufficient emotional support among adults with disabilities (11 States and the District of Columbia, age adjusted, ages 18 years and older)	0.79	main		CFHS (CSHCN)	NI	NS					
06.06		Satisfaction with life among adults with disabilities (age adjusted, 11 States and the District of Columbia, ages 18 years and older)	0.96	main		CFHS (CSHCN)	NI	NS					
06.07a		Congregate care of adults with disabilities (number, ages 22 years and older)	46681	main		CFHS (CSHCN)	NI	NS					
06.07b		Congregate care of children and young adults with disabilities (number, ages 21 years and under)	0	main		CFHS (CSHCN)	NI	NS					
06.08		Employment parity - Adults with disabilities (ages 21 to 64 years)	0.82	main		CFHS (CSHCN)	NI	NS					
06.09		Inclusion of children and youth with disabilities in regular education programs (ages 6 to 21 years)	0.6	main		CFHS (CSHCN)	NI	NS					
06.10		Accessibility of health and wellness programs among persons with disabilities	DNC	main		CFHS (CSHCN)	NI	NS					

Focus Area **6 Title Disability and Secondary Conditions** **Goal Promote the health of people with disabilities, prevent secondary conditions, and eliminate disparities between people with and without disabilities in the U.S. population.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
06.11		Not having assistive devices and technology among persons with disabilities	DNC	main		CFHS (CSHCN)	D/P	NS	Same	Inadequate Data Statewide.			
06.12		Environmental barriers affecting participation in activities among persons with disabilities	DNC	main		CFHS (CSHCN)	NI	NS					SAHP2010
06.13a		Surveillance and health promotion programs for persons with disabilities (number of States and D C.)	51	main		CFHS (CSHCN)	NI	NS					
06.13b		Surveillance and health promotion programs for persons with disabilities (number of Tribes)	DNC	main		CFHS (CSHCN)	NI	NS					

Focus Area	7 Title Educational and Community-Based Programs	Goal Increase the quality, availability, and effectiveness of educational and community-based programs designed to prevent disease and improve health and quality of life.											
Obj Num	Category	Objective	2010 US Target	Pop Cat	Population Description	Lead Agency	Level of Interest	Type of Interest	Modified	Data Source	UT Baseline	UT Target	UT Target Selection
07.01	School Setting	High school completion (ages 18 to 24 years)	0.9	main		CFHS (Hlth P't'n)		NS					
07.02a	School Setting	School health education - (All components), (middle/junior, senior high schools)	0.7	main		SOE	D/P	S & I	N	SOE, CVHP, YBRS	TBC	150% improve-ment	SAHP2010
07.02b	School Setting	School health education - Unintentional injury (middle/junior, senior high schools)	0.9	main		CFHS (Hlth P't'n)		NS					
07.02c	School Setting	School health education - Violence (middle/junior senior high schools)	0.8	main		CFHS (Hlth P't'n)		NS					
07.02d	School Setting	School health education - Suicide (provided by middle, junior high, and senior high schools)	0.8	main		CFHS (Hlth P't'n)		NS					
07.02e	School Setting	School health education - Tobacco use and addiction (middle/junior, senior high schools)	0.95	main		CFHS (Hlth P't'n)		NS					
07.02f	School Setting	School health education - Alcohol and other drug use (middle/junior, senior high schools)	0.95	main		CFHS (Hlth P't'n)		NS					
07.02g	School Setting	School health education - Unintended pregnancy, HIV/AIDS, and STD infection (middle/junior, senior high schools)	0.9	main		CFHS (Hlth P't'n)		NS					
07.02h	School Setting	School health education - Unhealthy dietary patterns (middle/junior, senior high schools)	0.95	main		CFHS (Hlth P't'n)		NS					
07.02i	School Setting	School health education - Inadequate physical activity (middle/junior, senior high schools)	0.9	main		CFHS (Hlth P't'n)		NS					
07.02j	School Setting	School health education - Environmental health (middle/junior, senior high schools)	0.8	main		CFHS (Hlth P't'n)		NS					
07.03	School Setting	Health-risk behavior information for college and university students	0.25	main		CFHS (Hlth P't'n)		NS					

Focus Area **7 Title Educational and Community-Based Programs** **Goal Increase the quality, availability, and effectiveness of educational and community-based programs designed to prevent disease and improve health and quality of life.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
07.04a	School Setting	School nurse-to-student ratio (at least 1:750) - All middle/junior, senior high schools	0.5	main		CASH	D/P	S&I	Y	October enrollment (USOE) and annual school nurse survey(CASH) collecting school nurse FTE's. Ratio is than calculated by CASH	1 to 6330	1 to 3000	because baseline is so high not realistic to obtain the HP2010 of 1 to 750
07.04b	School Setting	School nurse-to-student ratio (at least 1:750) - Senior high schools	0.5	main		CFHS (Hlth P't'n)							NS
07.04c	School Setting	School nurse-to-student ratio (at least 1:750) - Middle and junior high schools	0.5	main		CFHS (Hlth P't'n)							NS
07.04d	School Setting	School nurse-to-student ratio (at least 1:750) - Elementary schools	DNC	main		CFHS (Hlth P't'n)							NS
07.05a	Worksite Setting	Worksite health promotion programs - Worksites with fewer than 50 employees	DNC	main		CFHS (Hlth P't'n)							NS
07.05b	Worksite Setting	Worksite health promotion programs - Worksites with 50 or more employees	0.75	main		CFHS (Hlth P't'n)							NS
07.05c	Worksite Setting	Worksite health promotion programs - Worksites with 50 to 99 employees	0.75	main		CFHS (Hlth P't'n)							NS
07.05d	Worksite Setting	Worksite health promotion programs - Worksites with 100 to 249 employees	0.75	main		CFHS (Hlth P't'n)							NS
07.05e	Worksite Setting	Worksite health promotion programs - Worksites with 250 to 749 employees	0.75	main		CFHS (Hlth P't'n)							NS
07.05f	Worksite Setting	Worksite health promotion programs - Worksites with 750 or more employees	0.75	main		CFHS (Hlth P't'n)							NS

Focus Area **7 Title Educational and Community-Based Programs** **Goal Increase the quality, availability, and effectiveness of educational and community-based programs designed to prevent disease and improve health and quality of life.**

Obj Num	Category	Objective	2010 US Target	Pop Cat	Population Description	Lead Agency	Level of Interest	Type of Interest	Modi- fied	Data Source	UT Baseline	UT Target	UT Target Selection
07.06	Worksite Setting	Participation in employer-sponsored health promotion activities (adults aged 18 years and older)	0.75	main		CFHS (Hlth P't'n)		NS					
07.07	Healthcare Setting	Patient and family education, health care organizations	DNC	main		CFHS (Hlth P't'n)		NS					
07.08	Healthcare Setting	Satisfaction with patient education	DNC	main		CFHS (Hlth P't'n)		NS					
07.09	Healthcare Setting	Hospital and managed care organization sponsorship of community health promotion activities	DNC	main		CFHS (Hlth P't'n)		NS					
07.10	Community and Select Populations	Community health promotion programs - Addressing Healthy People 2010 focus areas	DNC	main		CFHS (Hlth P't'n)		NS					
07.11a	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Access to quality health services	DNC	main		CFHS (Hlth P't'n)		NS					
07.11b	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Arthritis, osteoporosis, and chronic back conditions	DNC	main		CFHS (Hlth P't'n)		NS					
07.11c	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Cancer	0.5	main		CFHS (Hlth P't'n)		NS					
07.11d	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Chronic kidney disease	DNC	main		CFHS (Hlth P't'n)		NS					
07.11e	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Diabetes	DNC	main		CFHS (Hlth P't'n)		NS					
07.11f	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Disability and secondary conditions	DNC	main		CFHS (Hlth P't'n)		NS					

<i>Focus Area</i>	<i>7 Title</i>	<i>Educational and Community-Based Programs</i>	<i>Goal Increase the quality, availability, and effectiveness of educational and community-based programs designed to prevent disease and improve health and quality of life.</i>										
<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
07.11g	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Educational and community-based programs	0.5	main		CFHS (Hlth P't'n)		NS					
07.11h	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Environmental health	0.5	main		CFHS (Hlth P't'n)		NS					
07.11i	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Family planning	0.5	main		CFHS (Hlth P't'n)		NS					
07.11j	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Food safety	DNC	main		CFHS (Hlth P't'n)		NS					
07.11k	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Medical product safety	DNC	main		CFHS (Hlth P't'n)		NS					
07.11l	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Health communication	DNC	main		CFHS (Hlth P't'n)		NS					
07.11m	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Heart disease and stroke	0.5	main		CFHS (Hlth P't'n)		NS					
07.11n	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - HIV	0.5	main		CFHS (Hlth P't'n)		NS					
07.11o	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Immunization and infectious diseases	0.5	main		CFHS (Hlth P't'n)		NS					
07.11p	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Injury and violence prevention	DNC	main		CFHS (Hlth P't'n)		NS					

<i>Focus Area</i>	<i>7 Title</i>	<i>Educational and Community-Based Programs</i>	<i>Goal</i>	Increase the quality, availability, and effectiveness of educational and community-based programs designed to prevent disease and improve health and quality of life.									
<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
07.11q	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Maternal, infant (and child) health	0.5	main		CFHS (Hlth P't'n)		NS					
07.11r	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Mental health (and mental	0.5	main		CFHS (Hlth P't'n)		NS					
07.11s	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Nutrition and overweight	0.5	main		CFHS (Hlth P't'n)		NS					
07.11t	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Occupational safety and health	0.5	main		CFHS (Hlth P't'n)		NS					
07.11u	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Oral health	0.5	main		CFHS (Hlth P't'n)		NS					
07.11v	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Physical activity and fitness	0.5	main		CFHS (Hlth P't'n)		NS					
07.11w	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Public health infrastructure	DNC	main		CFHS (Hlth P't'n)		NS					
07.11x	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Respiratory diseases	DNC	main		CFHS (Hlth P't'n)		NS					
07.11y	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Sexually transmitted diseases	0.5	main		CFHS (Hlth P't'n)		NS					
07.11z	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Substance abuse (alcohol and other drugs)	0.5	main		CFHS (Hlth P't'n)		NS					

Focus Area **7 Title Educational and Community-Based Programs** **Goal Increase the quality, availability, and effectiveness of educational and community-based programs designed to prevent disease and improve health and quality of life.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
07.11z A	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Tobacco use	0.5	main		CFHS (Hlth P't'n)		NS					
07.11z B	Community and Select Populations	Culturally appropriate and linguistically competent community health promotion programs - Vision and hearing	DNC	main		CFHS (Hlth P't'n)		NS					
07.12	Community and Select Populations	Older adult participation in community health promotion activities (age adjusted, ages 65 years and older)	0.9	main		Div. Of Aging	D/P	S & I	N	ATBC BRFSS	TBD	0.9	SAHP2010

Focus Area **8 Title Environmental Health**

Goal Promote health for all through a healthy environment.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
08.01a	Outdoor Air Quality	Harmful air pollutants - Persons exposed to ozone	0	main		ELS (EEP)		NS					
08.01b	Outdoor Air Quality	Harmful air pollutants - Persons exposed to particulate matter (<=10 um in diameter)	0	main		ELS (EEP)		NS					
08.01c	Outdoor Air Quality	Harmful air pollutants - Persons exposed to carbon monoxide	0	main		ELS (EEP)		NS					
08.01d	Outdoor Air Quality	Harmful air pollutants - Persons exposed to nitrogen dioxide	0	main		ELS (EEP)		NS					
08.01e	Outdoor Air Quality	Harmful air pollutants - Persons exposed to sulfur dioxide	0	main		ELS (EEP)		NS					
08.01f	Outdoor Air Quality	Harmful air pollutants - Persons exposed to	0	main		ELS (EEP)		NS					
08.01g	Outdoor Air Quality	Harmful air pollutants - Persons exposed to any (thousands)	0	main		ELS (EEP)		NS					
08.02a	Outdoor Air Quality	Alternative modes of transportation - Trips made by bicycling	0.018	main		ELS (EEP)		NS					
08.02b	Outdoor Air Quality	Alternative modes of transportation - Trips made by walking	0.108	main		ELS (EEP)		NS					
08.02c	Outdoor Air Quality	Alternative modes of transportation - Trips made by transit	0.036	main		ELS (EEP)		NS					
08.02d	Outdoor Air Quality	Alternative modes of transportation - Persons who telecommute	DNC	main		ELS (EEP)		NS					
08.03	Outdoor Air Quality	Cleaner alternative fuels	0.3	main		ELS (EEP)		NS					
08.04	Outdoor Air Quality	Airborne toxins (per million tons)	2	main		ELS (EEP)		NS					
08.05	Water Quality	Safe drinking water	0.95	main		ELS (EEP)		NS					

Focus Area **8 Title Environmental Health**

Goal Promote health for all through a healthy environment.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
08.06	Water Quality	Waterborne disease outbreaks (average number per year)	2	main		ELS (EEP)		NS					
08.07	Water Quality	Water conservation (gallons of usage per day)	90.9	main		ELS (EEP)		NS					
08.08	Water Quality	Surface water health risks (safe for fishing and recreation)	DNC	main		ELS (EEP)		NS					
08.09	Water Quality	Beach closings (number due to harmful bacteria)	DNC	main		ELS (EEP)		NS					
08.10	Water Quality	Fish contamination - Human exposure to persistent chemicals	DNC	main		ELS (EEP)		NS					
08.11	Toxics and Waste	Elevated blood lead levels in children - 10 or more ug/dL (children aged 1 to 6 years)	0	main		ELS (EEP)	D/P	S&I	NO	UBLR	1.6	ZERO	
08.12a	Toxics and Waste	Risks posed by hazardous sites - National Priority List sites (thousands)	1.176	main		ELS (EEP)	D/P	S&I	NO	ATSDR	SEVERAL	0.98	
08.12b	Toxics and Waste	Risks posed by hazardous sites - Resource Conservation and Recovery Act facilities (thousands)	2.426	main		ELS (EEP)		NS					
08.12c	Toxics and Waste	Risks posed by hazardous sites - Leaking underground storage facilities (thousands)	362.6	main		ELS (EEP)		NS					
08.12d	Toxics and Waste	Risks posed by hazardous sites - Brownfield properties (thousands)	1.47	main		ELS (EEP)		NS					
08.13	Toxics and Waste	Pesticide exposures - Resulting in visits to a health care facility (number of visits per year (thousands))	13.5	main		ELS (EEP)		NS					
08.14	Toxics and Waste	Toxic pollutants	DNC	main		ELS (EEP)		NS					
08.15	Toxics and Waste	Recycled municipal solid waste (including composting)	0.38	main		ELS (EEP)		NS					

Focus Area **8 Title Environmental Health**

Goal Promote health for all through a healthy environment.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
08.16a	Healthy Homes and Healthy Communities	Indoor allergens - Group 1 dust mite allergens that exceed 2 micrograms per gram of dust in bed (number of homes (millions))	29	main		ELS (EEP)		NS					
08.16b	Healthy Homes and Healthy Communities	Indoor allergens - Group 1 dust mite allergens that exceed 10 micrograms per gram of dust in bed (number of homes (millions))	14.9	main		ELS (EEP)		NS					
08.16c	Healthy Homes and Healthy Communities	Indoor allergens - German cockroach allergens that exceed 0.1 microgram per gram of dust in the bed (number of homes (millions))	3.8	main		ELS (EEP)		NS					
08.17	Healthy Homes and Healthy Communities	Office building air quality - Number that are managed using good indoor air quality	DNC	main		ELS (EEP)		NS					
08.18	Healthy Homes and Healthy Communities	Proportion of persons living in homes tested for radon - (age adjusted)	0.2	main		ELS (EEP)		NS					
08.19	Healthy Homes and Healthy Communities	Radon-resistant new home construction (number (millions))	2.1	main		ELS (EEP)		NS					
08.20	Healthy Homes and Healthy Communities	School policies to protect against environmental hazards	DNC	main		ELS (EEP)		NS					
08.21	Healthy Homes and Healthy Communities	Disaster preparedness plans and protocols	DNC	main		ELS (EEP)		NS					
08.22	Healthy Homes and Healthy Communities	Proportion of persons in pre-1950s homes tested for lead-based paint (age adjusted, ages 18 years and older)	0.5	main		ELS (EEP)		NS					
08.23	Healthy Homes and Healthy Communities	Substandard housing	0.03	main		ELS (EEP)		NS					
08.24a	Infrastructure and	Exposure to pesticides - Urine concentrations in ug/g creatinine - 1-naphthol (carbaryl) (ages 6 years and older)	25.2	main		ELS (EEP)		NS					

Focus Area **8 Title Environmental Health**

Goal Promote health for all through a healthy environment.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
08.24b	Infrastructure and	Exposure to pesticides - Urine concentrations in ug/g creatinine - Paranitrophenol (methyl parathion and parathions) (ages 6 years and older)	2.7	main		ELS (EEP)		NS					
08.24c	Infrastructure and	Exposure to pesticides - Urine concentrations in ug/g creatinine - 3, 5, 6-trichloro-2-pyridinol (chlorpyrifos) (ages 6 years and older)	5.8	main		ELS (EEP)		NS					
08.24d	Infrastructure and	Exposure to pesticides - Urine concentrations in ug/g creatinine - Isopropoxyphenol (propoxur) (ages 6 years and older)	1.1	main		ELS (EEP)		NS					
08.25a	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration -	DNC	main		ELS (EEP)		NS					
08.25b	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration - Cadmium	DNC	main		ELS (EEP)		NS					
08.25c	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration - Lead	DNC	main		ELS (EEP)		NS					
08.25d	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration - Manganese	DNC	main		ELS (EEP)		NS					
08.25e	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration -	DNC	main		ELS (EEP)		NS					
08.25f	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration - 2, 4-D	DNC	main		ELS (EEP)		NS					
08.25g	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration - o-phenylphenol	DNC	main		ELS (EEP)		NS					
08.25h	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration - Permethrins	DNC	main		ELS (EEP)		NS					
08.25i	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration -	DNC	main		ELS (EEP)		NS					

Focus Area **8 Title Environmental Health**

Goal Promote health for all through a healthy environment.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
08.25j	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration - Polychlorinated biphenyls	DNC	main		ELS (EEP)		NS					
08.25k	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration -	DNC	main		ELS (EEP)		NS					
08.25l	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration - Furans	DNC	main		ELS (EEP)		NS					
08.25m	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration - Chlordane	DNC	main		ELS (EEP)		NS					
08.25n	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration -	DNC	main		ELS (EEP)		NS					
08.25o	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration - DDT	DNC	main		ELS (EEP)		NS					
08.25p	Infrastructure and	Exposure to heavy metals and other toxic chemicals - Blood/urine concentration -	DNC	main		ELS (EEP)		NS					
08.26	Infrastructure and	Information systems used for environmental health	DNC	main		ELS (EEP)		NS					
08.27a	Infrastructure and	Monitoring environmentally related diseases -Lead poisoning (number of jurisdictions)	51	main		ELS (EEP)		NS					
08.27b	Infrastructure and	Monitoring environmentally related diseases -Pesticide poisoning (number of jurisdictions)	25	main		ELS (EEP)		NS					
08.27c	Infrastructure and	Monitoring environmentally related diseases -Mercury poisoning (number of jurisdictions)	20	main		ELS (EEP)		NS					
08.27d	Infrastructure and	Monitoring environmentally related diseases -Arsenic poisoning (number of jurisdictions)	15	main		ELS (EEP)		NS					
08.27e	Infrastructure and	Monitoring environmentally related diseases -Cadmium poisoning (number of jurisdictions)	15	main		ELS (EEP)		NS					

Focus Area **8 Title Environmental Health**

Goal Promote health for all through a healthy environment.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
08.27f	Infrastructure and	Monitoring environmentally related diseases -Methemoglobinemia (number of jurisdictions)	15	main		ELS (EEP)		NS					
08.27g	Infrastructure and	Monitoring environmentally related diseases -Acute chemical poisoning (includes chemicals not covered elsewhere in the table) (number of jurisdictions)	15	main		ELS (EEP)		NS					
08.27h	Infrastructure and	Monitoring environmentally related diseases -Carbon monoxide poisoning (number of jurisdictions)	51	main		ELS (EEP)		NS					
08.27i	Infrastructure and	Monitoring environmentally related diseases -Asthma (number of jurisdictions)	25	main		ELS (EEP)		NS					
08.27j	Infrastructure and	Monitoring environmentally related diseases -Hyperthermia (number of jurisdictions)	10	main		ELS (EEP)		NS					
08.27k	Infrastructure and	Monitoring environmentally related diseases -Hypothermia (number of jurisdictions)	DNC	main		ELS (EEP)		NS					
08.27l	Infrastructure and	Monitoring environmentally related diseases -Skin cancer (number of jurisdictions)	DNC	main		ELS (EEP)		NS					
08.27m	Infrastructure and	Monitoring environmentally related diseases -Malignant melanoma (number of jurisdictions)	DNC	main		ELS (EEP)		NS					
08.27n	Infrastructure and	Monitoring environmentally related diseases -Other skin cancer (number of jurisdictions)	DNC	main		ELS (EEP)		NS					
08.27o	Infrastructure and	Monitoring environmentally related diseases -Birth defects (number of jurisdictions)	DNC	main		ELS (EEP)		NS					
08.28	Infrastructure and	Local agencies using surveillance data for vector control (number)	DNC	main		ELS (EEP)		NS					
08.29	Global Environmental Health	Global burden of disease (number of deaths(thousands))	2135	main		ELS (EEP)		NS					

Focus Area **8 Title Environmental Health**

Goal Promote health for all through a healthy environment.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
08.30a	Global Environmental Health	Water quality in the U.S.-Mexico border region -Wastewater sewer service provided - Ciudad Acuna	0.49	main		ELS (EEP)		NS					
08.30b	Global Environmental Health	Water quality in the U.S.-Mexico border region -Wastewater sewer service provided - Matamoros	0.57	main		ELS (EEP)		NS					
08.30c	Global Environmental Health	Water quality in the U.S.-Mexico border region -Wastewater sewer service provided - Mexicali	0.9	main		ELS (EEP)		NS					
08.30d	Global Environmental Health	Water quality in the U.S.-Mexico border region -Wastewater sewer service provided - Nogales, Sonora	0.91	main		ELS (EEP)		NS					
08.30e	Global Environmental Health	Water quality in the U.S.-Mexico border region -Wastewater sewer service provided - Piedras Negras	0.9	main		ELS (EEP)		NS					
08.30f	Global Environmental Health	Water quality in the U.S.-Mexico border region -Wastewater sewer service provided - Reynosa	0.67	main		ELS (EEP)		NS					
08.30g	Global Environmental Health	Water quality in the U.S.-Mexico border region -Wastewater receiving treatment - Ciudad	0.1	main		ELS (EEP)		NS					
08.30h	Global Environmental Health	Water quality in the U.S.-Mexico border region -Wastewater receiving treatment - Matamoros	0.1	main		ELS (EEP)		NS					
08.30i	Global Environmental Health	Water quality in the U.S.-Mexico border region -Wastewater receiving treatment - Mexicali	0.82	main		ELS (EEP)		NS					
08.30j	Global Environmental Health	Water quality in the U.S.-Mexico border region -Wastewater receiving treatment - Nogales, Sonora	1	main		ELS (EEP)		NS					
08.30k	Global Environmental Health	Water quality in the U.S.-Mexico border region -Wastewater receiving treatment - Piedras Negras	0.1	main		ELS (EEP)		NS					

Focus Area **8 Title Environmental Health**

Goal Promote health for all through a healthy environment.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
08.30I	Global Environmental Health	Water quality in the U.S.-Mexico border region -Wastewater receiving treatment - Reynosa	1	main		ELS (EEP)		NS					
08.Uta h1	Global Environmental Health	Reduce the percent of public swimming pools and spas which fail the state water quality standards at least once annually		main		ELS (EEP)					34% (based on 1994 data)	0.24	decrease by 30%

Focus Area **9 Title Family Planning**

Goal Improve pregnancy planning and spacing and prevent unintended pregnancy.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
09.01		Intended pregnancy (females aged 15 to 44 years)	0.7	main		CFHS (RHP)	D/P	S&I	N	PRAMS	0.66	0.7	2010 goals
09.02		Birth spacing - Births occurring within 24 months of a previous birth (females aged 15 to 44 years)	0.06	main		CFHS (RHP)	D/P	S&I	N	Vital records (VR)	0.29	0.06	2010 goals
09.03		Contraceptive use - Females at risk of unintended pregnancy (ages 15 to 44 years)	1	main		CFHS (RHP)	NI	NS					
09.04		Contraceptive failure - Females experiencing pregnancy (ages 15 to 44 years)	0.07	main		CFHS (RHP)	D/P	S&I	N	PRAMS	0.19	0.07	2010 goals
09.05		Emergency contraception - Provided by health care providers	DNC	main		CFHS (RHP)	NI	NS					
09.06		Male involvement in pregnancy prevention	DNC	main		CFHS (RHP)	NI	NS					
09.07		Adolescent pregnancy (per 1,000 population, ages 15 to 17 years)	43	main		CFHS (RHP)		NS					
09.08a		Abstinence before age 15 years - Females (ages 15 to 19 years)	0.88	main		CFHS (RHP)		NS					
09.08b		Abstinence before age 15 years - Males (ages 15 to 19 years)	0.88	main		CFHS (RHP)		NS					
09.09a		Abstinence among adolescents - Females (ages 15 to 17 years)	0.75	main		CFHS (RHP)		NS					
09.09b		Abstinence among adolescents - Males (ages 15 to 17 years)	0.75	main		CFHS (RHP)		NS					
09.10a		Pregnancy prevention and sexually transmitted disease (STD) protection - Condom use by partner at first intercourse (unmarried females aged 15 to 17 years)	0.75	main		CFHS (CASH)	D/P	S&I	N	YRBS	Not Collected	0.75	2010 goals
09.10b		Pregnancy prevention and sexually transmitted disease (STD) protection - Condom use at first intercourse (unmarried males aged 15 to 17 years)	0.83	main		CFHS (RHP)		NS					

Focus Area **9 Title Family Planning**

Goal Improve pregnancy planning and spacing and prevent unintended pregnancy.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
09.10c		Pregnancy prevention and sexually transmitted disease (STD) protection - Condom & hormonal method use at first intercourse (unmarried females aged 15 to 17 years)	0.09	main		CFHS (RHP)		NS					
09.10d		Pregnancy prevention and sexually transmitted disease (STD) protection - Condom & hormonal method (partner) at first intercourse (unmarried males aged 15 to 17 years)	0.11	main		CFHS (RHP)		NS					
09.10e		Pregnancy prevention and sexually transmitted disease (STD) protection - Condom use at last intercourse (unmarried females aged 15 to 17 years)	0.49	main		CFHS (RHP)		NS					
09.10f		Pregnancy prevention and sexually transmitted disease (STD) protection - Condom use at last intercourse (unmarried males aged 15 to 17 years)	0.79	main		CFHS (RHP)		NS					
09.10g		Pregnancy prevention and sexually transmitted disease (STD) protection - Condom & hormonal method use at last intercourse (unmarried females aged 15 to 17 years)	0.11	main		CFHS (RHP)		NS					
09.10h		Pregnancy prevention and sexually transmitted disease (STD) protection - Condom & hormonal method use (partner) at last intercourse (unmarried males aged 15 to 17 years)	0.2	main		CFHS (RHP)		NS					
09.11		Reproductive health prevention education Females (ages 18 to 24 years)	0.9	main		CFHS (RHP)		NS					
09.12		Problems in becoming pregnant and maintaining a pregnancy - Wives of married couples (ages 15 to 44 years)	0.1	main		CFHS (RHP)	NI	NS					
09.13		Insurance coverage for contraceptive supplies and services	DNC	main		CFHS (RHP)	NI	NS					

Focus Area 10 Title Food Safety

Goal Reduce foodborne illnesses.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
10.01a		Foodborne infections - Campylobacter species (per 100,000 population)	12.3	main		ELS (FSEH/Epi)	D&P	S&I	Y:UT SP	UDOH	24.6/100K	17.2/100K	decrease by 30%
10.01b		Foodborne infections - Escherichia coli 0157:H7 (per 100,000 population)	1	main		ELS (FSEH/Epi)		NS					
10.01c		Foodborne infections - Listeria monocytogenes (per 100,000 population)	0.25	main		ELS (FSEH/Epi)		NS					
10.01d		Foodborne infections - Salmonella species (per 100,000 population)	6.8	main		ELS (FSEH/Epi)		NS			22.65/100K	15.86/100K	decrease by 30%
10.01e		Foodborne infections - Cyclospora cayetanensis (per 100,000 population)	DNC	main		ELS (FSEH/Epi)		NS					
10.01f		Foodborne infections - Postdiarrheal hemolytic uremic syndrome (per 100,000 population)	DNC	main		ELS (FSEH/Epi)		NS					
10.01g		Foodborne infections - Congenital Toxoplasma gondii (per 100,000 population)	DNC	main		ELS (FSEH/Epi)		NS					
10.02a		Outbreaks of foodborne infections - Escherichia coli 0157:H7 (number of cases)	11	main		ELS (FSEH/Epi)	D&P	S&I	Y:UT SP	UDOH	SEVERAL	SEVERAL	
10.02b		Outbreaks of foodborne infections - Salmonella serotype Enteritidis (number of cases)	22	main		ELS (FSEH/Epi)		NS			13.91/100K	9.74/100K	decrease by 30%
10.03a		Antimicrobial resistance of Salmonella species - (human) to Fluoroquinolones (proportion of isolates)	0	main		ELS (FSEH/Epi)		NS					
10.03b		Antimicrobial resistance of Salmonella species - (human) to Third-generation cephalosporins (proportion of isolates)	0	main		ELS (FSEH/Epi)		NS					
10.03c		Antimicrobial resistance of Salmonella species - (human) to Gentamicin (proportion of	0.03	main		ELS (FSEH/Epi)		NS					
10.03d		Antimicrobial resistance of Salmonella species - (human) to Ampicillin (proportion of	0.18	main		ELS (FSEH/Epi)		NS					

Focus Area **10 Title Food Safety**

Goal Reduce foodborne illnesses.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
10.03e		Antimicrobial resistance of Salmonella species - (cattle at slaughter) to Fluoroquinolones (proportion of isolates)	DNC	main		ELS (FSEH/Epi)		NS					
10.03f		Antimicrobial resistance of Salmonella species - (cattle at slaughter) to Third-generation cephalosporins (proportion of	DNC	main		ELS (FSEH/Epi)		NS					
10.03g		Antimicrobial resistance of Salmonella species - (cattle at slaughter) to Gentamicin (proportion of isolates)	DNC	main		ELS (FSEH/Epi)		NS					
10.03h		Antimicrobial resistance of Salmonella species - (cattle at slaughter) to Ampicillin (proportion of isolates)	DNC	main		ELS (FSEH/Epi)		NS					
10.03i		Antimicrobial resistance of Salmonella species - (poultry at slaughter) to Fluoroquinolones (proportion of isolates)	DNC	main		ELS (FSEH/Epi)		NS					
10.03j		Antimicrobial resistance of Salmonella species - (poultry at slaughter) to Third-generation cephalosporins (proportion of	DNC	main		ELS (FSEH/Epi)		NS					
10.03k		Antimicrobial resistance of Salmonella species - (poultry at slaughter) to Gentamicin (proportion of isolates)	DNC	main		ELS (FSEH/Epi)		NS					
10.03l		Antimicrobial resistance of Salmonella species - (poultry at slaughter) to Ampicillin (proportion of isolates)	DNC	main		ELS (FSEH/Epi)		NS					
10.03m		Antimicrobial resistance of Salmonella species - (swine at slaughter) to Fluoroquinolones (proportion of isolates)	DNC	main		ELS (FSEH/Epi)		NS					
10.03n		Antimicrobial resistance of Salmonella species - (swine at slaughter) to Third-generation cephalosporins (proportion of	DNC	main		ELS (FSEH/Epi)		NS					
10.03o		Antimicrobial resistance of Salmonella species - (swine at slaughter) to Gentamicin (proportion of isolates)	DNC	main		ELS (FSEH/Epi)		NS					

Focus Area 10 Title Food Safety

Goal Reduce foodborne illnesses.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
10.03p		Antimicrobial resistance of Salmonella species - (swine at slaughter) to Ampicillin (proportion of isolates)	DNC	main		ELS (FSEH/Epi)		NS					
10.04		Food allergy deaths - Anaphylaxis	DNC	main		ELS (FSEH/Epi)		NS					
10.05		Consumer food safety practices (adults)	0.79	main		ELS (FSEH/Epi)		NS					
10.06		Safe food preparation practices in retail establishments	DNC	main		ELS (FSEH/Epi)	D&P	S&I	Y:UT SP	UDOH			UNDER DEVELOPMENT
10.07		Human exposure to organophosphate pesticide from food	DNC	main		ELS (FSEH/Epi)		NS					
10.Utah1		Reduce the average number of critical temperature violations in Utah food service establishments		main		ELS							

Focus Area **11 Title Health Communication**

Goal Use communication strategically to improve health.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
11.01		Households with Internet access	0.8	main		EDO (PIO)		NS					
11.02		Health literacy	DNC	main		EDO (PIO)		NS					
11.03		Research and evaluation of communication programs	DNC	main		EDO (PIO)		NS					
11.04		Quality of Internet health information sources	DNC	main		EDO (PIO)		NS					
11.05		Centers for excellence	DNC	main		EDO (PIO)		NS					
11.06		Satisfaction with health care providers' communication skills	DNC	main		EDO (PIO)		NS					

Focus Area 12 Title Heart Disease and Stroke Goal Improve cardiovascular health and quality of life through the prevention, detection, and treatment of risk factors; early identification and treatment of heart attacks and strokes; and prevention of recurrent cardiovascular events.

<i>Obj</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US</i>	<i>Pop</i>	<i>Population</i>	<i>Lead</i>	<i>Level of</i>	<i>Type of</i>	<i>Modi-</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target</i>
12.01	Heart Disease	Coronary heart disease (CHD) deaths (age adjusted per 100,000 standard population)	166	sub1	All ethnicities			S			NA	TBDT	WBDABE
12.01	Heart Disease	Coronary heart disease (CHD) deaths (age adjusted per 100,000 standard population)	166	main		CFHS (CVH)	UDOH	S & I	N	BSA	1998 136.8	109.4	20% improvement, SAHP 2010
12.02	Heart Disease	Knowledge of symptoms of heart attack and importance of calling 911 (adults aged 20 years and older)	DNC	main		CFHS (CVH)/EMS	D/P	S & I	N	BRFSS	2001 90 %	0.95	10% improvement
12.03	Heart Disease	Artery-opening therapy	DNC	main		CFHS (CVH)		NS					
12.04	Heart Disease	Bystander response to cardiac arrest (adults aged 20 years and older)	DNC	main		CFHS (CVH)		NS					
12.05	Heart Disease	Out-of-hospital emergency care	DNC	main		CFHS (CVH)		NS					
12.06a	Heart Disease	Heart failure hospitalizations (per 1,000 population, ages 65 to 74 years)	6.5	main		CFHS (CVH)		NS					
12.06b	Heart Disease	Heart failure hospitalizations (per 1,000 population, ages 75 to 84 years)	13.5	main		CFHS (CVH)		NS					
12.06c	Heart Disease	Heart failure hospitalizations (per 1,000 population, ages 85 years and older)	26.5	main		CFHS (CVH)		NS					
12.07	Stroke	Stroke deaths (age adjusted per 100,000 standard population)	48	main		CFHS (CVH)	UDOH	S & I	N	BSA	1998 58.2	46.6	20% improvement, SAHP 2010
12.07	Stroke	Stroke deaths (age adjusted per 100,000 standard population)	48	sub1	African Americans			S	N	BSA	1993-97 69.9%	0.561	20% improvement,
12.08	Stroke	Knowledge of early warning symptoms of	DNC	main		CFHS (CVH)	D/P	S & I		BRFSS	2001 90%	0.95	10% improvement
12.09	Blood Pressure	High blood pressure (age adjusted, adults aged 20 years and older)	0.16	main		CFHS (CVH)	UDOH	S & I	N	BRFSS	1999 21.3%	0.16	SAHP2010
12.10	Blood Pressure	High blood pressure control (age adjusted, adults aged 18 years and older)	0.5	main		CFHS (CVH)		NS					

Focus Area 12 Title Heart Disease and Stroke

Goal Improve cardiovascular health and quality of life through the prevention, detection, and treatment of risk factors; early identification and treatment of heart attacks and strokes; and prevention of recurrent cardiovascular events.

<i>Obj</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US</i>	<i>Pop</i>	<i>Population</i>	<i>Lead</i>	<i>Level of</i>	<i>Type of</i>	<i>Modi-</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target</i>
12.11	Blood Pressure	Taking action to help control blood pressure (age adjusted, adults aged 18 years and older)	0.95	main		CFHS (CVH)	D/P	S & I	N	HSS	1996 89.6%	0.95	SAHP2010
12.12	Blood Pressure	Blood pressure monitoring - Persons who know whether their blood pressure is high or low (age adjusted, adults aged 18 years and older)	0.95	main		CFHS (CVH)	D/P	S	N	BRFSS	1999 91.8%	0.95	SAHP2010
12.13	Cholesterol	Mean total blood cholesterol levels in mg/dL (age adjusted, adults aged 20 years and older)	199	main		CFHS (CVH)		NS					
12.14	Cholesterol	High blood cholesterol levels (age adjusted adults aged 20 years and older)	0.17	main		CFHS (CVH)	UDOH	S	N	BRFSS	1999 28.2%	0.17	SAHP2010
12.15	Cholesterol	Blood cholesterol screening - Adults screened within preceding 5 years (age adjusted, ages 18 years and older)	0.8	main		CFHS (CVH)	D/P	S	N	BRFSS	1999 61.8%	0.8	SAHP2010
12.15	Cholesterol	Blood cholesterol screening - Adults screened within preceding 5 years (age adjusted, ages 18 years and older)	0.8	sub1	Hispanic		S & I			BRFS S 1995-99 52.3%	0.68	Same proportion improvement	
12.16	Cholesterol	LDL-cholesterol level in CHD patients	DNC	main		CFHS (CVH)		D/P S & I		HEDIS	2002 80%	0.7	10% improvement

Focus Area 13 Title HIV

Goal Prevent HIV infection and its related illness and death.

Obj Num	Category	Objective	2010 US Target	Pop Cat	Population Description	Lead Agency	Level of Interest	Type of Interest	Modi-fied	Data Source	UT Baseline	UT Target	UT Target Selection
13.01		New AIDS cases (per 100,000 population, ages 13 years and older)	1	main		ELS (HIV)	UDOH	S&I	No	HARS	6.65	1	NAT'L GOAL
13.02		AIDS among men who have sex with men (number of new cases, males aged 13 years and older)	13385	main		ELS (HIV)	D/P	S&I	No	HARS	83	62	25% REDUCTION
13.03		AIDS among persons who inject drugs - (number of new cases, ages 13 years and	9075	main		ELS (HIV)	D/P	S&I	No	HARS	26	19	25% REDUCTION
13.04		AIDS among men who have sex with men and who inject drugs - (number of new cases, ages 13 years and older)	1592	main		ELS (HIV)	D/P	S&I	No	HARS	16	12	25% REDUCTION
13.05		New HIV cases - Among adolescents and adults (number)	DNC	main		ELS (HIV)	UDOH	S&I	No	HARS	49	66	25% REDUCTION
13.06a		Condom use by partner - Unmarried females (ages 18 to 44 years)	0.5	main		ELS (HIV)		NS					
13.06b		Condom use - Males (ages 18 to 49 years)	DNC	main		ELS (HIV)		NS					
13.07		Knowledge of serostatus - Among HIV-positive persons (number)	DNC	main		ELS (HIV)		NS					
13.08		HIV counseling and education for persons in substance abuse treatment	0.7	main		ELS (HIV)	D/P	S&I	No	UNDER DEVELOPMENT	UNDER DEVELOPMENT	UNDER DEVELOPMENT	25% REDUCTION
13.09		HIV/AIDS, STD, and TB education in State prisons (number)	DNC	main		ELS (HIV)		NS					
13.10		HIV counseling and testing in State prisons	DNC	main		ELS (HIV)		NS					
13.11		HIV testing in TB patients (adults aged 25 to 44 years)	0.85	main		ELS (HIV)	D/P	S&I	No	TIMS/HARS	0.73	0.85	NAT'L GOAL
13.12		Screening for STDs and immunization for hepatitis B	DNC	main		ELS (HIV)	D/P	S		HARS/STD MIS	?	?	?
13.13a		Treatment according to guidelines - Viral load testing (ages 13 years and older)	DNC	main		ELS (HIV)	UDOH	S&I		Medicaid/A DAP	?	0.95	clinical appropriate need

Focus Area 13 Title HIV

Goal Prevent HIV infection and its related illness and death.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi-fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
13.13b		Treatment according to guidelines - Tuberculin skin testing (TST) (ages 13 years	DNC	main		ELS (HIV)	UDOH	S&I		TIMS/HARS	?	0.95	
13.13c		Treatment according to guidelines - Any antiretroviral therapy (ages 13 years and older)	0.95	main		ELS (HIV)		NS					
13.13d		Treatment according to guidelines - Highly active antiretroviral therapy (HAART) (ages 13 years and older)	0.95	main		ELS (HIV)	UDOH	S&I		ADAP/Medicaid	?	0.95	National Government
13.13e		Treatment according to guidelines - Pneumocystis carinii pneumonia (PCP) prophylaxis (ages 13 years and older)	0.95	main		ELS (HIV)		NS					
13.13f		Treatment according to guidelines - Mycobacterium avium complex (MAC) prophylaxis (ages 13 years and older)	0.95	main		ELS (HIV)		NS					
13.14		HIV-infection deaths (age adjusted per 100,000 standard population)	0.7	main		ELS (HIV)	UDOH	S&I	No	HARS	44	8	75% REDUCATION
13.15		Interval between HIV infection and AIDS diagnosis	DNC	main		ELS (HIV)		NS					
13.16		Interval between AIDS diagnosis and death from AIDS	DNC	main		ELS (HIV)		NS					
13.17		Perinatally acquired HIV infection (number of new cases)	DNC	main		ELS (HIV)	UDOH	S&I	No	HARS	2	0	

<i>Focus Area</i>	14 Title Immunization and Infectious Diseases	<i>Goal</i> Prevent disease, disability, and death from infectious diseases, including vaccine-preventable diseases.											
<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
14.01a	Diseases Preventable Through Universal Vaccination	Vaccine-preventable diseases - Congenital rubella syndrome (number of cases, children under 1 year)	0	main		ELS(Epi) CFHS (im)	UDOH	S&I	NO	NETSS	0	0	HP2010
14.01b	Diseases Preventable Through Universal Vaccination	Vaccine-preventable diseases - Diphtheria (number of cases, ages under 35 years)	0	main		ELS(Epi) CFHS (im)	UDOH	S&I	NO	NETSS	0	0	HP2010
14.01c	Diseases Preventable Through Universal Vaccination	Vaccine-preventable diseases - Haemophilus influenzae type b and unknown serotype - Children - (number of cases, children aged under 5 years)	0	main		ELS(Epi) CFHS (im)	UDOH	S&I	NO	NETSS	0	0	HP2010
14.01d	Diseases Preventable Through Universal Vaccination	Vaccine-preventable diseases - Hepatitis B (number of cases, ages 2 to 18 years)	9	main		ELS(Epi) CFHS (im)	UDOH	S&I	NO	NETSS	4	0	HP2010
14.01e	Diseases Preventable Through Universal Vaccination	Vaccine-preventable diseases - Measles (number of cases)	0	main		ELS(Epi) CFHS (im)	UDOH	S&I	NO	NETSS	3	0	HP2010
14.01f	Diseases Preventable Through Universal Vaccination	Vaccine-preventable diseases - Mumps (number of cases)	0	main		ELS(Epi) CFHS (im)	UDOH	S&I	NO	NETSS	7	0	HP2010
14.01g	Diseases Preventable Through Universal Vaccination	Vaccine-preventable diseases - Pertussis Children (number of cases, children aged under 7 years)	2000	main		ELS(Epi) CFHS (im)	UDOH	S&I	NO	NETSS	29	20	HP2010

Focus Area	14 Title	Immunization and Infectious Diseases	Goal	Prevent disease, disability, and death from infectious diseases, including vaccine-preventable diseases.									
Obj Num	Category	Objective	2010 US Target	Pop Cat	Population Description	Lead Agency	Level of Interest	Type of Interest	Modified	Data Source	UT Baseline	UT Target	UT Target Selection
14.01h	Diseases Preventable Through Universal Vaccination	Vaccine-preventable diseases - Polio (wild-type virus) (number of cases)	0	main		ELS(Epi) CFHS (im)	UDOH	S&I	NO	NETSS	0	0	HP2010
14.01i	Diseases Preventable Through Universal Vaccination	Vaccine-preventable diseases - Rubella (number of cases)	0	main		ELS(Epi) CFHS (im)	UDOH	S&I	NO	NETSS	0	0	HP2010
14.01j	Diseases Preventable Through Universal Vaccination	Vaccine-preventable diseases - Tetanus (number of cases, ages under 35 years)	0	main		ELS(Epi) CFHS (im)	UDOH	S&I	NO	NETSS	0	0	HP2010
14.01k	Diseases Preventable Through Universal Vaccination	Vaccine-preventable diseases - Varicella (chicken pox) (number of cases (thousands), ages 18 years and under)	400	main		ELS(Epi) CFHS (im)	UDOH	S&I	NO	NETSS	74	50	HP2010
14.02	Diseases Preventable Through Universal Vaccination	Hepatitis B in infants and young children -Perinatal infections (number of cases, children aged under 2 years)	400	main		ELS(Epi) CFHS (im)	D/P	S&I	NO	NETSS	4 cs<2 yrs	0 cs<2 yrs	HP2010
14.03a	Diseases Preventable Through Universal Vaccination	Hepatitis B in adults and high-risk groups -Adults (cases per 100,000 population, ages 19 to 24 years)	2.4	main		ELS (Epi)	D/P	S&I	NO	NETSS	2.04	0.02	HP2010
14.03b	Diseases Preventable Through Universal Vaccination	Hepatitis B in adults and high-risk groups -Adults (cases per 100,000 population, ages 25 to 39 years)	5.1	main		ELS (Epi)	D/P	S&I	NO	NETSS	2.6	0.65	HP2010

<i>Focus Area</i>	14 Title Immunization and Infectious Diseases	<i>Goal</i> Prevent disease, disability, and death from infectious diseases, including vaccine-preventable diseases.											
<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
14.03c	Diseases Preventable Through Universal Vaccination	Hepatitis B in adults and high-risk groups -Adults (cases per 100,000 population, ages 40 years and older)	3.8	main		ELS (Epi)	D/P	S&I	NO	NETSS	2	0.5	HP2010
14.03d	Diseases Preventable Through Universal Vaccination	Hepatitis B in adults and high-risk groups - High risk groups - Injection drug users (number of cases)	1808	main		ELS (Epi)	D/P	S&I	NO	NETSS	7	2	HP2010
14.03e	Diseases Preventable Through Universal Vaccination	Hepatitis B in adults and high-risk groups - High risk groups - Heterosexually active persons (number of cases)	1240	main		ELS (Epi)	D/P	S&I	NO	NETSS	19	2	HP2010
14.03f	Diseases Preventable Through Universal Vaccination	Hepatitis B in adults and high-risk groups - High risk groups - Men who have sex with men (number of cases)	1808	main		ELS (Epi)	D/P	S&I	NO	NETSS	0	0	HP2010
14.03g	Diseases Preventable Through Universal Vaccination	Hepatitis B in adults and high-risk groups - High risk groups - Occupationally exposed workers (number of cases)	62	main		ELS (Epi)	-	NS	-	-	NA	NA	HP2010
14.04	Diseases Preventable Through Universal Vaccination	Bacterial meningitis in young children (new cases per 100,000 population, children 1 to 23 months)	8.6	main		ELS (Epi)	D/P	S&I	NO	NETSS	12/100K	7.9/100K	HP2010
14.05a	Diseases Preventable Through Universal Vaccination	Invasive pneumococcal infections - Children (new cases per 100,000 population, children aged under 5 years)	46	main		ELS (Epi)	D/P	S&I	NO	NETSS	2.74	1.6	HP2010

<i>Focus Area</i>	14 Title Immunization and Infectious Diseases	<i>Goal</i> Prevent disease, disability, and death from infectious diseases, including vaccine-preventable diseases.											
<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
14.05b	Diseases Preventable Through Universal Vaccination	Invasive pneumococcal infections - Adults (new cases per 100,000 population, ages 65 years and older)	42	main		ELS (Epi)	D/P	S&I	NO	NETSS	2.75	1.8	HP2010
14.05c	Diseases Preventable Through Universal Vaccination	Invasive pneumococcal infections - Penicillin-resistant - Children (new cases per 100,000 population, children aged under 5)	6	main		ELS (Epi)	D/P	S&I	NO	NETSS	NA	NA	HP2010
14.05d	Diseases Preventable Through Universal Vaccination	Invasive pneumococcal infections - Penicillin-resistant - Adults (new cases per 100,000 population, ages 65 years and older)	7	main		ELS (Epi)	D/P	S&I	NO	NETSS	NA	NA	HP2010
14.06	Diseases Preventable Through Targeted Vaccination	Hepatitis A - (new cases per 100,000 population)	4.5	main		ELS(Epi) CFHS (im)	D/P	S&I	NO	NETSS	3.3/100K	1.3/100K	HP2010
14.07	Diseases Preventable Through Targeted Vaccination	Meningococcal disease - (new cases per 100,000 population)	1	main		ELS (Epi)	D/P	S&I	NO	NETSS	0.3/100K	0.25/100K	HP2010
14.08	Diseases Preventable Through Targeted Vaccination	Lyme disease - In endemic States (new cases per 100,000 population)	9.7	main		ELS (Epi)		NS					
14.09	Infectious Diseases and Emerging Antimicrobial Resistance	Hepatitis C - (new cases per 100,000 population)	1	main		ELS (Epi)	D/P	S&I	NO	NETSS	0.6/100K	0.25/100K	HP2010

<i>Focus Area</i>	14 Title Immunization and Infectious Diseases	<i>Goal</i> Prevent disease, disability, and death from infectious diseases, including vaccine-preventable diseases.											
<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
14.10	Infectious Diseases and Emerging Antimicrobial Resistance	Identification of persons with chronic hepatitis	DNC	main		ELS (Epi)		NS					
14.11	Infectious Diseases and Emerging Antimicrobial Resistance	Tuberculosis - (new cases per 100,000 population)	1	main		ELS (HIV)	D/P	S&I	NO	TIMS	2.3/100K	0.8/100K	75% REDUCTION
14.12	Infectious Diseases and Emerging Antimicrobial Resistance	Curative therapy for tuberculosis	0.9	main		ELS (HIV)	D/P	S&I	NO	TIMS	0.74	0.9	HP2010
14.13	Infectious Diseases and Emerging Antimicrobial Resistance	Treatment for high-risk persons with latent tuberculosis infection	0.85	main		ELS (HIV)	D/P	S&I	NO	UNDER DEVELOPMENT		0.85	HP2010
14.14	Infectious Diseases and Emerging Antimicrobial Resistance	Timely laboratory confirmation of tuberculosis cases - Average number of days to report 75% of cases	2	main		ELS (HIV/LAB)	D/P	S&I	NO	TIMS	17 DAYS	12 DAYS	LAB STAFF
14.15	Infectious Diseases and Emerging Antimicrobial Resistance	Prevention services for international travelers	DNC	main		ELS (Epi)		NS					
14.16	Infectious Diseases and Emerging Antimicrobial Resistance	Invasive early onset group B streptococcal disease (per 1,000 live births)	0.5	main		ELS (Epi)		S&I					

Focus Area	14 Title	Immunization and Infectious Diseases	Goal	Prevent disease, disability, and death from infectious diseases, including vaccine-preventable diseases.									
Obj Num	Category	Objective	2010 US Target	Pop Cat	Population Description	Lead Agency	Level of Interest	Type of Interest	Modified	Data Source	UT Baseline	UT Target	UT Target Selection
14.17	Infectious Diseases and Emerging Antimicrobial Resistance	Peptic ulcer hospitalizations (age adjusted per 100,000 standard population)	46	main		ELS (Epi)		NS					
14.18	Infectious Diseases and Emerging Antimicrobial Resistance	Antibiotics prescribed for ear infections -Children (courses prescribed per 100 population, children aged under 5 years)	88	main		ELS (Epi)	NI	NS				NOT RPRTED TO UDOH	
14.19	Infectious Diseases and Emerging Antimicrobial Resistance	Antibiotics prescribed for common cold (courses prescribed per 100,00 population)	1268	main		ELS (Epi)		NS				NOT RPRTED TO UDOH	
14.20a	Infectious Diseases and Emerging Antimicrobial Resistance	Hospital-acquired infections - Adult intensive care patients - Catheter-associated urinary tract infection (per 1,000 days use)	5.3	main		ELS (Epi)		NS				NOT RPRTED TO UDOH	
14.20b	Infectious Diseases and Emerging Antimicrobial Resistance	Hospital-acquired infections - Adult intensive care patients - Central line-associated bloodstream infection (per 1,000 days use)	4.8	main		ELS (Epi)		NS				NOT RPRTED TO UDOH	
14.20c	Infectious Diseases and Emerging Antimicrobial Resistance	Hospital-acquired infections - Adult intensive care patients - Ventilator-associated pneumonia (per 1,000 days use)	10	main		ELS (Epi)		NS				NOT RPRTED TO UDOH	
14.20d	Infectious Diseases and Emerging Antimicrobial Resistance	Hospital-acquired infections - Infant intensive care patients - Central line-associated bloodstream infection (weighing 1,000 grams or less) (per 1,000 days use)	11	main		ELS (Epi)		NS				NOT RPRTED TO UDOH	

Focus Area	14 Title	Immunization and Infectious Diseases	Goal	Prevent disease, disability, and death from infectious diseases, including vaccine-preventable diseases.									
Obj Num	Category	Objective	2010 US Target	Pop Cat	Population Description	Lead Agency	Level of Interest	Type of Interest	Modified	Data Source	UT Baseline	UT Target	UT Target Selection
14.20e	Infectious Diseases and Emerging Antimicrobial Resistance	Hospital-acquired infections - Infant intensive care patients - Ventilator-associated pneumonia (for infants weighing 1,000 grams or less) (per 1,000 days use)	4.4	main		ELS (Epi)		NS				NOT RPRPTED TO UDOH	
14.21	Infectious Diseases and Emerging Antimicrobial Resistance	Antimicrobial use in intensive care units (daily doses per 1,000 patient days)	120	main		ELS (Epi)		NS				NOT RPRPTED TO UDOH	
14.22a	Vaccination Coverage and Strategies	Universally recommended vaccination of children 19 to 35 months - 4 doses diphtheria-tetanus-acellular pertussis (DtaP)	0.9	main		ELS(Epi) CFHS (im)	UDOH	S&I	N	State CASA, CDC-NIS	0.823	0.9	HP 2010
14.22b	Vaccination Coverage and Strategies	Universally recommended vaccination of children 19 to 35 months - 3 doses Haemophilus influenzae type b (Hib) vaccine	0.9	main		CFHS (im)		NS					
14.22c	Vaccination Coverage and Strategies	Universally recommended vaccination of children 19 to 35 months - 3 doses hepatitis B (hep B) vaccine	0.9	main		CFHS (im)		NS					
14.22d	Vaccination Coverage and Strategies	Universally recommended vaccination of children 19 to 35 months - 1 dose measles-mumps-rubella (MMR) vaccine	0.9	main		CFHS (im)		NS					
14.22e	Vaccination Coverage and Strategies	Universally recommended vaccination of children 19 to 35 months - 3 doses polio	0.9	main		CFHS (im)		NS					
14.22f	Vaccination Coverage and Strategies	Universally recommended vaccination of children 19 to 35 months - 1 dose varicella vaccine	0.9	main		CFHS (im)		NS					
14.23a	Vaccination Coverage and Strategies	Diphtheria-tetanus-acellular pertussis (DtaP) vaccine coverage, children in day care	0.95	main		CFHS (im)	UDOH	S&I	N	Utah Annual School Report, CDC	0.937	0.95	HP 2010
14.23b	Vaccination Coverage and Strategies	Measles-mumps-rubella (MMR) vaccine coverage, children in day care	0.95	main		CFHS (im)		NS					

<i>Focus Area</i>	14 Title Immunization and Infectious Diseases	<i>Goal</i> Prevent disease, disability, and death from infectious diseases, including vaccine-preventable diseases.											
<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
14.23c	Vaccination Coverage and Strategies	Polio vaccine coverage, children in day care	0.95	main		CFHS (im)		NS					
14.23d	Vaccination Coverage and Strategies	Hepatitis B vaccine coverage, children in day car	DNC	main		CFHS (im)		NS					
14.23e	Vaccination Coverage and Strategies	Varicella vaccine coverage, children in day	DNC	main		CFHS (im)		NS					
14.23f	Vaccination Coverage and Strategies	Diphtheria-tetanus-acellular pertussis (DtaP) vaccine coverage, children in kindergarten and first grade	0.95	main		CFHS (im)		NS					
14.23g	Vaccination Coverage and Strategies	Measles-mumps-rubella (MMR) vaccine coverage,children in kindergarten and first	0.95	main		CFHS (im)		NS					
14.23h	Vaccination Coverage and Strategies	Polio vaccine coverage, children in kindergarten and first grade	0.95	main		CFHS (im)		NS					
14.23i	Vaccination Coverage and Strategies	Hepatitis B vaccine coverage, children in kindergarten and first grade	DNC	main		CFHS (im)		NS					
14.23j	Vaccination Coverage and Strategies	Varicella vaccine coverage, children in kindergarten and first grade	DNC	main		CFHS (im)		NS					
14.24a	Vaccination Coverage and Strategies	Fully immunized young children and adolescents -Children 19 to 35 months	0.8	main		CFHS (im)		NS					
14.24b	Vaccination Coverage and Strategies	Fully immunized young children and adolescents -Adolescents aged 13 to 15 years	DNC	main		ELS(Epi) CFHS (im)		NS					
14.25a	Vaccination Coverage and Strategies	Providers who measure childhood vaccination coverage levels - Public health providers	0.9	main		CFHS (im)	D/P	S&I	N	CDC	6 (national baseline)	0.9	HP 2010

<i>Focus Area</i>	14 Title Immunization and Infectious Diseases	<i>Goal</i> Prevent disease, disability, and death from infectious diseases, including vaccine-preventable diseases.											
<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
14.25b	Vaccination Coverage and Strategies	Providers who measure childhood vaccination coverage levels - Private providers	0.9	main		CFHS (im)		NS					
14.26	Vaccination Coverage and Strategies	Children participating in population-based immunization registries (children aged under 6 years)	0.95	main		CFHS (im)	D/P	S	N	USIIS, CDC, NIP	0.399	0.95	HP 2010
14.27a	Vaccination Coverage and Strategies	Vaccination coverage among adolescents - 3 or more doses of hepatitis B (adolescents aged 13 to 15 years)	0.9	main		CFHS (im)	D/P	S&I	N	Utah Annual School Report, CDC	0.968	0.95	HP 2010
14.27b	Vaccination Coverage and Strategies	Vaccination coverage among adolescents - 2 or more doses of measles, mumps, rubella (adolescents aged 13 to 15 years)	0.9	main		CFHS (im)		NS					
14.27c	Vaccination Coverage and Strategies	Vaccination coverage among adolescents - 1 or more doses of tetanus-diphtheria booster (adolescents aged 13 to 15 years)	0.9	main		CFHS (im)		NS					
14.27d	Vaccination Coverage and Strategies	Vaccination coverage among adolescents - 1 or more doses of varicella (excluding adolescents who have varicella) (adolescents aged 13 to 15 years)	0.9	main		CFHS (im)		NS					
14.28a	Vaccination Coverage and Strategies	Hepatitis B vaccination among high-risk groups -Long-term hemodialysis patients	0.9	main		CFHS (im)		NS					
14.28b	Vaccination Coverage and Strategies	Hepatitis B vaccination among high-risk groups -Men who have sex with men	0.6	main		CFHS (im)		NS					
14.28c	Vaccination Coverage and Strategies	Hepatitis B vaccination among high-risk groups -Occupationally exposed workers	0.98	main		CFHS (im)		NS					
14.29a	Vaccination Coverage and Strategies	Influenza and pneumococcal vaccination of high-risk adults - Noninstitutionalized adults -Influenza vaccine (age adjusted, ages 65 years and older)	0.9	main		CFHS (im)		NS					

<i>Focus Area</i>	14 Title Immunization and Infectious Diseases	<i>Goal</i> Prevent disease, disability, and death from infectious diseases, including vaccine-preventable diseases.											
<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
14.29a	Vaccination Coverage and Strategies	Influenza and pneumococcal vaccination of high-risk adults - Noninstitutionalized adults -Influenza vaccine (age adjusted, ages 65 years and older)	0.9	sub1	Adults Age 65+ with Diabetes Mellitus	CFHS (diabetes)	D/P	S & I	N	Medicare/B RFSS	0.465	0.9	US Target
14.29b	Vaccination Coverage and Strategies	Influenza and pneumococcal vaccination of high-risk adults - Noninstitutionalized adults -Pneumococcal vaccine (age adjusted, ages 65 years and older)	0.9	sub1	Adults Age 65+ with Diabetes Mellitus	CFHS (diabetes)	D/P	S & I	N	Medicare/B RFSS	0.241	0.9	US Target
14.29b	Vaccination Coverage and Strategies	Influenza and pneumococcal vaccination of high-risk adults - Noninstitutionalized adults -Pneumococcal vaccine (age adjusted, ages 65 years and older)	0.9	main		CFHS (im)		NS					
14.29c	Vaccination Coverage and Strategies	Influenza and pneumococcal vaccination of high-risk adults - Noninstitutionalized high-risk adults - Influenza vaccine (age adjusted, ages 18 to 64 years)	0.6	main		CFHS (im)		NS					
14.29c	Vaccination Coverage and Strategies	Influenza and pneumococcal vaccination of high-risk adults - Noninstitutionalized high-risk adults - Influenza vaccine (age adjusted, ages 18 to 64 years)	0.6	sub1	Adults Age 18-64 with Diabetes Mellitus	CFHS (diabetes)	D/P	S & I	N	BRFSS	0.445	0.6	US Target
14.29d	Vaccination Coverage and Strategies	Influenza and pneumococcal vaccination of high-risk adults - Noninstitutionalized high-risk adults - Pneumococcal vaccine (age adjusted, ages 18 to 64 years)	0.6	main		CFHS (im)		NS					
14.29d	Vaccination Coverage and Strategies	Influenza and pneumococcal vaccination of high-risk adults - Noninstitutionalized high-risk adults - Pneumococcal vaccine (age adjusted, ages 18 to 64 years)	0.6	sub1	Adults Age 18-64 with Diabetes Mellitus	CFHS (diabetes)	D/P	S & I	N	BRFSS	0.23	0.6	US Target
14.29e	Vaccination Coverage and Strategies	Influenza and pneumococcal vaccination of high-risk adults - Institutionalized - Influenza vaccine (ages 18 years and older)	0.9	main		CFHS (im)		NS					
14.29f	Vaccination Coverage and Strategies	Influenza and pneumococcal vaccination of high-risk adults - Institutionalized - Pneumococcal vaccine (ages 18 years and older)	0.9	main		CFHS (im)		NS					

Focus Area **14 Title** Immunization and Infectious Diseases **Goal** Prevent disease, disability, and death from infectious diseases, including vaccine-preventable diseases.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
14.30a	Vaccine Safety	Adverse events from vaccinations - Associated paralytic polio (number of VAPP cases)	0	main		CFHS (im)		NS					
14.30b	Vaccine Safety	Adverse events from vaccinations - Febrile seizures caused by pertussis vaccines	75	main		CFHS (im)		NS					
14.31	Vaccine Safety	Active surveillance for vaccine safety via large linked databases (number (millions))	13	main		CFHS (im)		NS					

Focus Area 15 Title Injury and Violence Prevention Goal Reduce injuries, disabilities, and deaths due to unintentional injuries and violence.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
15.01	Injury Prevention	Nonfatal head injuries (age adjusted per 100,000 standard population)	45	main		CFHS (VIPP)	D/P	S&I		TBI Registry	81	65	Remarks*
15.02	Injury Prevention	Nonfatal spinal cord injuries (age adjusted per 100,000 standard population)	2.4	main		CFHS (VIPP)	D/P	S&I		SCI Registry	To be est.		
15.03	Injury Prevention	Firearm-related deaths (age adjusted per 100,000 standard population)	4.1	main		CFHS (VIPP)	P/LHD	S&I		death	12.3	8	
15.04	Injury Prevention	Improper firearm storage in homes - Persons in homes with loaded and unlocked firearms (age adjusted, ages 18 years and older)	0.16	main		CFHS (VIPP)	LHD	S&I		HSS	To be est.		
15.05a	Injury Prevention	Nonfatal firearm-related injury ED visits (per 100,000 population)		main		CFHS (VIPP)	P/LHD	S&I		EMS	5	3	
15.05b	Injury Prevention	Nonfatal firearm-related injury hospitalizations (per 100,000 population)	8.6	main		CFHS (VIPP)	P/LHD	S&I		hosp	5	3	
15.06	Injury Prevention	State-level child fatality review - Due to external causes (children aged 14 years and under)	DNC	main		CFHS (VIPP)	D/P	S			In place		
15.07a	Injury Prevention	Nonfatal poisoning ED visits (age adjusted per 100,000 standard population)		main		CFHS (VIPP)	D/P	S		EMS	24	20	
15.07b	Injury Prevention	Nonfatal poisoning hospitalizations(age adjusted per 100,000 standard population)	292	main		CFHS (VIPP)	D/P	S		hosp	24	20	
15.08	Injury Prevention	Deaths from poisoning (age adjusted per 100,000 standard population)	1.5	main		CFHS (VIPP)	D/P	S		death	1.4	0.8	
15.09	Injury Prevention	Deaths from suffocation (age adjusted per 100,000 standard population)	3	main		CFHS (VIPP)		NS					
15.10	Injury Prevention	Emergency department surveillance systems of external causes of injury data (number of States and D.C.)	51	main		CFHS (VIPP)	D/P	S			In place		
15.11	Injury Prevention	Hospital discharge surveillance systems (number of States and the District of Columbia)	51	main		CFHS (VIPP)	D/P	S			In place		

Focus Area 15 Title Injury and Violence Prevention Goal Reduce injuries, disabilities, and deaths due to unintentional injuries and violence.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
15.12	Injury Prevention	Emergency department visits - Injury related (age adjusted per 1,000 standard population)	126	main		CFHS (VIPP)	D/P	S		EMS			
15.13	Unintentional Injury Prevention	Deaths from unintentional injuries - (age adjusted per 100,000 standard population)	17.5	main		CFHS (VIPP)	D/P	S&I		death	37.3	30	
15.14a	Unintentional Injury Prevention	Nonfatal unintentional injury ED visits(age adjusted per 100,000 standard population)	DNC	main		CFHS (VIPP)	D/P	S&I		EMS	536	400	
15.14b	Unintentional Injury Prevention	Nonfatal unintentional injury hospitalizations(age adjusted per 100,000 standard population)	DNC	main		CFHS (VIPP)	D/P	S&I		hosp	536	400	
15.15a	Unintentional Injury Prevention	Deaths from motor vehicle crashes - (age adjusted per 100,000 standard population)	9.2	main		CFHS (VIPP)	UDOH	S&I		death	18.9	14	
15.15b	Unintentional Injury Prevention	Deaths from motor vehicle crashes - (per 100 million vehicle miles traveled)	0.8	main		CFHS (VIPP)		NS					
15.16a	Unintentional Injury Prevention	Pedestrian deaths - On public roads (per 100,000 population)		main		CFHS (VIPP)	D/P	S&I		FARS	2.4	1	
15.16b	Unintentional Injury Prevention	Pedestrian deaths - On public roads (per 100,000 population)	1	main		CFHS (VIPP)	D/P	S&I		death	2.4	1.5	
15.17a	Unintentional Injury Prevention	Nonfatal motor vehicle injuries - On public roads-ED visits (per 100,000 population)		main		CFHS (VIPP)	D/P	S&I		EMS	84	1.5	
15.17b	Unintentional Injury Prevention	Nonfatal motor vehicle injuries - On public roads-hospitalizations (per 100,000 population)	933	main		CFHS (VIPP)	UDOH	S&I		hosp	84	1.5	
15.18a	Unintentional Injury Prevention	Nonfatal pedestrian injuries - On public roads-ED visits (per 100,000 population)		main		CFHS (VIPP)	D/P	S&I		EMS	8	6	
15.18b	Unintentional Injury Prevention	Nonfatal pedestrian injuries - On public roads-hospitalizations (per 100,000 population)	19	main		CFHS (VIPP)	D/P	S&I		hosp	8	6	
15.19	Unintentional Injury Prevention	Safety belts - Use of	0.92	main		CFHS (VIPP)	UDOH	S&I		HSOSurvey	67% in 1999	0.85	

Focus Area 15 Title Injury and Violence Prevention Goal Reduce injuries, disabilities, and deaths due to unintentional injuries and violence.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
15.20	Unintentional Injury Prevention	Child restraints (children aged 4 years and younger)	1	main		CFHS (VIPP)	D/P	S&I		HSOSurvey	79% in 1999	0.9	
15.21	Unintentional Injury Prevention	Motorcycle helmet use	0.79	main		CFHS (VIPP)		NS					
15.22	Unintentional Injury Prevention	Graduated driver licensing (number of States and the District of Columbia)	51	main		CFHS (VIPP)	D/P	S&I		Utah Code	In place		
15.23	Unintentional Injury Prevention	Bicycle helmet use	DNC	main		CFHS (VIPP)	UDOH	S&I		VIPPsurvey	15% in 2000	0.35	
15.24	Unintentional Injury Prevention	Bicycle helmet laws (number of States and the District of Columbia, ages under 15 years)	51	main		CFHS (VIPP)		NS					
15.25	Unintentional Injury Prevention	Residential fire deaths (age adjusted per 100,000 standard population)	0.2	main		CFHS (VIPP)	D/P	S		death	0.4	0.2	
15.26a	Unintentional Injury Prevention	Functional smoke alarms in residences - Persons living in residences with functioning smoke alarm on every floor (age adjusted, ages 18 years and older)	1	main		CFHS (VIPP)	D/P	NS					
15.26b	Unintentional Injury Prevention	Functional smoke alarms in residences -Proportion of residences (age adjusted)	1	main		CFHS (VIPP)							
15.27	Unintentional Injury Prevention	Deaths from falls (age adjusted per 100,000 standard population)	3	main		CFHS (VIPP)	D/P	S&I		death	6.1	4	
15.28a	Unintentional Injury Prevention	Hip fractures - Older females (per 100,000 population, ages 65 years and older)	416	main		CFHS (VIPP)		NS					
15.28b	Unintentional Injury Prevention	Hip fractures - Older males (per 100,000 population, ages 65 years and older)	474	main		CFHS (VIPP)		NS					
15.29	Unintentional Injury Prevention	Drownings (age adjusted per 100,000 standard population)	0.9	main		CFHS (VIPP)	D/P	S		death	1.1	0.7	
15.30	Unintentional Injury Prevention	Hospital emergency department visits for dog bite injuries (age adjusted per 100,000 standard population)	114	main		CFHS (VIPP)		NS					

Focus Area 15 Title Injury and Violence Prevention Goal Reduce injuries, disabilities, and deaths due to unintentional injuries and violence.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
15.31	Unintentional Injury Prevention	Injury protection in school sports	DNC	main		CFHS (VIPP)		NS					
15.32	Violence and Abuse Prevention	Homicides (age adjusted per 100,000 standard population)	3	main		CFHS (VIPP)	UDOH	S		death	2.8	2	
15.33a	Violence and Abuse Prevention	Maltreatment (per 1,000 population, ages under 18 years)	10.3	main		CFHS (VIPP)		NS					
15.33b	Violence and Abuse Prevention	Maltreatment fatalities (per 100,000 population, children aged under 18 years)	1.4	main		CFHS (VIPP)		NS					
15.34	Violence and Abuse Prevention	Physical assault by intimate partners (per 1,000 population, ages 12 years and older)	3.3	main		CFHS (VIPP)	D/P	S&I		UCR	350.8	300	
15.35	Violence and Abuse Prevention	Rape or attempted rape (per 1,000 population, ages 12 years and older)	0.7	main		CFHS (VIPP)	D/P	S&I		UCR	41.7	35	
15.36	Violence and Abuse Prevention	Sexual assault other than rape (per 1,000 population, ages 12 years and older)	0.4	main		CFHS (VIPP)		NS					
15.37	Violence and Abuse Prevention	Physical assaults (per 1,000 population, ages 12 years and older)	13.6	main		CFHS (VIPP)		NS					
15.38	Violence and Abuse Prevention	Physical fighting among adolescents (grades 9 through 12)	0.32	main		CFHS (VIPP)		NS					
15.39	Violence and Abuse Prevention	Weapon carrying by adolescents on school property (grades 9 through 12)	0.049	main		CFHS (VIPP)		NS					
15.Uta h1a	Violence and Abuse Prevention	Hospitalization due to falls among people age 65 years and older.		main		CFHS (VIPP)	D/P	S&I	Y	hosp	158.3	100	

Focus Area 15 Title Injury and Violence Prevention Goal Reduce injuries, disabilities, and deaths due to unintentional injuries and violence.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
15.Uta h1b		Deaths due to falls among people age 65 years and older.		main		CFHS (VIPP)	D/P	S&I		death			
15.Uta h2a	Violence and Abuse Prevention	Adolescent suicide deaths (15-19)		main		CFHS (VIPP)	UDOH	S&I	Y	death	15.9	12	
15.Uta h2b		Suicide deaths - all populations		main		CFHS (VIPP)	UDOH	S&I		death			

Focus Area **16 Title Maternal, Infant, and Child Health** **Goal Improve the health and well-being of women, infants, children, and families.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
16.01a		Fetal deaths at 20 or more weeks of gestation (per 1,000 live births plus fetal deaths)	4.1	main		CFHS (RHP)	D/P	S&I	N	VR	/5.7	4.1/4.5	2010 goals
16.01b		Perinatal mortality rate (28 weeks of gestation to 7 days after birth) (per 1,000 live births plus fetal deaths)	4.5	main		CFHS (RHP)		NS					
16.01c		All Infant deaths (within 1 year) (per 1,000 live births)	4.5	main		CFHS (RHP)	UDOH	S&I	N	VR	5.2	4.5	2010
16.01d		Neonatal deaths (within first 28 days of life) (per 1,000 live births)	2.9	main		CFHS (RHP)	UDOH	S&I	N	VR	3.4	2.9	2010
16.01e		Postneonatal deaths (between 28 days and 1 year) (per 1,000 live births)	1.2	main		CFHS (VIPP)	UDOH	NS	N	VR	1.7	1.2	2010
16.01f		All Infant deaths (within 1 year) from birth defects (per 1,000 live births, age under 1 year)	1.1	main		CFHS (RHP)		NS					
16.01g		All Infant deaths (within 1 year) from congenital heart defects (per 1,000 live births, age under 1 year)	0.38	main		CFHS (RHP)		NS					
16.01h		Sudden Infant death syndrome (SIDS) deaths (per 1,000 live births, infants aged under 1 year)	0.25	main		CFHS (VIPP)	UDOH	NS	N	VR	0.36	0.25	2010
16.02a		Child deaths (per 100,000 population, ages 1 to 4 years)	18.6	main		CFHS (RHP)		NS					
16.02b		Child deaths (per 100,000 population, ages 5 to 9 years)	12.3	main		CFHS (RHP)		NS					
16.03a		Adolescent deaths 10 to 14 years (per 100,000 population)	16.8	main		CFHS (RHP)		NS					
16.03b		Young adult deaths 15 to 19 years (per 100,000 population)	39.8	main		CFHS (RHP)		NS					
16.03c		Young adult deaths 20 to 24 years (per 100,000 population)	49	main		CFHS (RHP)		NS					

Focus Area **16 Title Maternal, Infant, and Child Health** **Goal Improve the health and well-being of women, infants, children, and families.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
16.04		Maternal deaths (per 100,000 live births)	3.3	main		CFHS (RHP)	UDOH	S&I	N	VR/PMR	4.6	3.3	2010 goals
16.05a		Hospitalizations for maternal illness and complications due to pregnancy (per 100 deliveries)	24	main		CFHS (RHP)		NS					
16.05b		Maternal illness and complications due to pregnancy - Hospitalizations for Ectopic pregnancies (per 100 deliveries)	DNC	main		CFHS (RHP)		NS					
16.05c		Maternal illness and complications due to pregnancy - Hospitalizations for Postpartum complications, including postpartum depression (per 100 deliveries)	DNC	main		CFHS (RHP)		NS					
16.06a		Prenatal care - Beginning in first trimester	0.9	main		CFHS (RHP)	UDOH	S&I	N	VR/PRAMS	0.829	0.9	2010 goals
16.06b		Prenatal care - Early and adequate	0.9	main		CFHS (RHP)		NS					
16.07		Childbirth classes - Pregnant women who	DNC	main		CFHS (RHP)	NI	NS					
16.08		Very low birth weight infants born at level III hospitals (age under 1 year)	0.9	main		CFHS (RHP)	UDOH	S&I	N	VR	0.671	0.9	2010 goals
16.09a		Cesarean births - Women giving birth for the first time	0.15	main		CFHS (RHP)	UDOH	S&I	N	VR/HOSP DC		0.055	2010 goals
16.09b		Cesarean births - Prior cesarean birth	0.63	main		CFHS (RHP)		NS					
16.10a		Low birth weight (LBW), infants (less than 2,500 grams)	0.05	main		CFHS (RHP)	UDOH	S&I	N	VR	0.068	0.05	2010 goals
16.10b		Very low birth weight (VLBW), infants (less than 1,500 grams)	0.009	main		CFHS (RHP)	UDOH	S&I	N	VR	0.01	0.009	2010 goals
16.11a		Preterm births - Total preterm births (less than 37 weeks gestation)	0.076	main		CFHS (RHP)	UDOH	S&I	N	VR		0.076	2010 goals
16.11b		Preterm births - Live births at 32 to 36 weeks of gestation	0.064	main		CFHS (RHP)		NS					

Focus Area **16 Title Maternal, Infant, and Child Health** **Goal Improve the health and well-being of women, infants, children, and families.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
16.11c		Preterm births - Live births at less than 32 weeks of gestation	0.011	main		CFHS (RHP)		NS					
16.12		Weight gain during pregnancy	DNC	main		CFHS (RHP)	D/P	S&I	N	VR	0.701		2010 goals
16.13		Infants put to sleep on their backs (infants aged under 1 year)	0.7	main		CFHS (CASH)	D/P	S&I	N	VR/SIDS		0.7	2010 goals
16.14a		Mental retardation in children with IQ's less than or equal to 70 - Metropolitan Atlanta, GA (per 10,000 population, age 8 years)	124	main		CFHS (CSHCN)		NS					
16.14b		Cerebral palsy in children - Metropolitan Atlanta GA (per 10,000 population, age 8	31.5	main		CFHS (RHP)		NS					
16.14c		Autism spectrum disorder (per 10,000 population)	DNC	main		CFHS (RHP)		NS					
16.14d		Developmental disabilities - Epilepsy (per 10,000 population)	DNC	main		CFHS (RHP)		NS					
16.15		Spina bifida and other neural tube defects (new cases per 10,000 live births)	3	main		CFHS (CSHCN)		NS					
16.16a		Females who began pregnancy with at least 400 ug of folic acid each day (ages 15 to 44 years)	0.8	main		CFHS (CSHCN)		NS					
16.16b		Median RBC folate level (number in ng/ml, females aged 15 to 44 years)	220	main		CFHS (RHP)		NS					
16.17a		Pregnant women abstaining from alcohol in past month (ages 15 to 44 years)	0.94	main		CFHS (RHP)	UDOH	NS	N	PRAMS		0.98	2010 goals
16.17b		Pregnant women abstaining from binge drinking in past month (ages 15 to 44 years)	1	main		CFHS (RHP)		NS					
16.17c		Pregnant women abstaining from cigarette smoking in past month (48 states and D.C. and New York City) (ages 15 to 44 years)	0.99	main		CFHS (RHP)	UDOH	S&I	N	PRAMS		0.99	2010

Focus Area **16 Title Maternal, Infant, and Child Health** **Goal Improve the health and well-being of women, infants, children, and families.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
16.17d		Pregnant women abstaining from illicit drugs in past month (ages 15 to 44 years)	1	main		CFHS (RHP)		NS					
16.18		Fetal alcohol syndrome	DNC	main		CFHS (RHP)		NS					
16.19a		Breastfeeding - In early postpartum period	0.75	main		CFHS (RHP)	UDOH	S&I	N	PRAMS	0.862	0.75	2010 goals
16.19b		Breastfeeding - At 6 months	0.5	main		CFHS (RHP)		NS					
16.19c		Breastfeeding - At 1 year	0.25	main		CFHS (RHP)		NS					
16.20a		Newborn bloodspot screening - For phenylketonuria and hemoglobinopathies	DNC	main		CFHS (CSHCN)	UDOH	S&I	no change	NSP	CY00 - 98.1	100	same as US/HP2010
16.20b		Newborn bloodspot screening - Followup diagnostic testing for screening positives is performed within appropriate time period	DNC	main		CFHS (CSHCN)	D/P	S&I	no change	NSP	CY00 - 100%		
16.20c		Newborn bloodspot screening - Infants with diagnosed disorders who are enrolled in appropriate service interventions within appropriate time period	DNC	main		CFHS (CSHCN)	D/P	S&I	no change	NSP	CY00 - 100%		
16.21		Sepsis among children with sickle cell disease (4 years and younger)	DNC	main		CFHS (CSHCN)	NI	NS					
16.22		Medical homes for children with special health care needs	DNC	main		CFHS (CSHCN)		NS					
16.23		Service systems for children with special health care needs - Territories and States	1	main		CFHS (CSHCN)		NS					

Focus Area 17 Title Medical Product Safety

Goal Ensure the safe and effective use of medical products.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
17.01a		Monitoring of adverse medical events - Associated with medical therapies	DNC	main	inpatients in acute care hospitals and ambulatory surgical centers	HSI	UDOH	S&I	Montoring of all death events to adverse events	Hospital Discharge Database, Sentinel Event Reports Database, Death File, Medical Examiners Database	18	327	Extrapolated from Institute of Medicine estimates of the rates of serious medical errors using Utah hospital discharge volume.
17.01b		Monitoring of adverse medical events - Associated with medical devices	DNC	main	Inpatients in acute care hospitals and ambulatory surgery centers	HSI	UDOH	S&I	YES Monitoring of adverse drug events	Hospital Discharge Database	0.0314	?	Still under review
17.02a		Linked, automated information systems - By health care professionals in hospitals and comprehensive integrated health care systems	DNC	main	acute care hospitals, physicians offices, clinical laboratories, pharmacies	EDO	UDOH	NS	yes	statewide clinical information network users (to be developed)	?	0.9	critical mass needed for success
17.02b		Linked, automated information systems - By pharmacists and other dispensers	DNC	main	acute care hospitals, physician's offices, laboratories, pharmacies	EDO	UDOH	NS	yes	number of participating providers (to be developed)	?	0.9	critical mass needed for success
17.03		Provider review of medications taken by	DNC	main		EDO		NS					
17.04		Receipt of useful information about prescriptions from pharmacies	DNC	main		EDO		NS					
17.05a		Receipt of oral counseling about medications from prescribers	0.95	main		EDO		NS					
17.05b		Receipt of oral counseling about medications from pharmacists	0.95	main		EDO		NS					

Focus Area 17 Title Medical Product Safety

Goal Ensure the safe and effective use of medical products.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
17.06		Blood donations	0.08	main		HSI	HSI	NS	no	Utah blood banks	?	To be developed with blood banks	Utah is currently a net exporter of donated blood

Focus Area **18 Title** **Mental Health and Mental Illness** **Goal** **Improve mental health and ensure access to appropriate, quality mental health services.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
18.01	Mental Health Status Improvement	Suicide (age adjusted per 100,000 standard population)	5	main		VIPP??		NS					
18.02	Mental Health Status Improvement	Adolescent suicide attempts - Students in grades 9 through 12	0.01	main		???		NS					
18.03	Mental Health Status Improvement	Serious mental illness (SMI) among homeless (adults aged 18 years and older)	0.19	main		???		NS					
18.04	Mental Health Status Improvement	Employment of persons with serious mental illness (SMI) (adults aged 18 years and older)	0.51	main		???		NS					
18.05	Mental Health Status Improvement	Eating disorder relapses	DNC	main		???		NS					
18.06	Treatment Expansion	Mental health screening and assessment	DNC	main		???		NS					
18.07	Treatment Expansion	Treatment for children with mental health problem	DNC	main		???		NS					
18.08	Treatment Expansion	Mental health screening in juvenile justice facilities	DNC	main		???		NS					
18.09a	Treatment Expansion	Treatment for adults with serious mental illness (SMI) (ages 18 to 54 years)	0.55	main		???		NS					
18.09b	Treatment Expansion	Treatment for adults with recognized depression (ages 18 years and older)	0.5	main		???		NS					
18.09c	Treatment Expansion	Treatment for adults with schizophrenia (ages 18 years and older)	0.75	main		???		NS					
18.09d	Treatment Expansion	Treatment for adults with generalized anxiety disorder (ages 18 years and older)	0.5	main		???		NS					

Focus Area **18 Title** **Mental Health and Mental Illness** **Goal** **Improve mental health and ensure access to appropriate, quality mental health services.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
18.10	Treatment Expansion	Treatment for co-occurring substance abuse and mental disorders	DNC	main		???		NS					
18.11	Treatment Expansion	Community-based jail diversion programs, adults with serious mental illness (SMI)	DNC	main		???		NS					
18.12	State Activities	State tracking of consumer satisfaction (number of States and the District of Columbia)	51	main		???		NS					
18.13	State Activities	Culturally competent State operational mental health plan (number of States and the District of Columbia)	DNC	main		???		NS					
18.14	State Activities	State operational mental health plan (number of States and the District of Columbia)	51	main		???		NS					

Focus Area **19 Title Nutrition and Overweight** **Goal Promote health and reduce chronic disease associated with diet and weight.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
19.01	Weight Status and Growth	Healthy weight in adults (age adjusted, ages 20 years and older)	0.6	main		CFHS (CVH)	UDOH	S & I	N	BRFSS	1999 49.1	0.6	SAHP2010
19.01	Weight Status and Growth	Healthy weight in adults (age adjusted, ages 20 years and older)	0.6	sub1	Hispanic	CFHS CVH	S & I	N	BRFS S	1995-99 44.1%	0.532	Same proportion increase	
19.02	Weight Status and Growth	Obesity in adults (age adjusted, ages 20 years and older)	0.15	main		CFHS (CVH)	UDOH	S & I	N	BRFSS	1999 16.3%	0.15	SAHP2010
19.03a	Weight Status and Growth	Overweight or obesity in children (ages 6 to 11 years)	0.05	main		CFHS (CVH)	UDOH	S & I	Y	UDOH	2002 25%	0.2	20% improvement
19.03b	Weight Status and Growth	Overweight or obesity in adolescents (ages 12 to 19 years)	0.05	main		CFHS (CVH)	UDOH	S & I	Y	YBRS	2001 28.7%	0.25	20% improvement
19.03c	Weight Status and Growth	Overweight or obesity in children and adolescents (ages 6 to 19 years)	0.05	main		CFHS (CVH)		NS					
19.04	Weight Status and Growth	Growth retardation in low-income children (ages under 5 years)	0.05	main		CFHS (MCH)	D/P	S&I	no	PedNSS	8.5%(99)	0.05	US target
19.05	Food and Nutrient Consumption	Fruit intake - At least two daily servings (age adjusted, ages 2 years and older)	0.75	main		CFHS (CVH)	D/P	S & I	Y	BRFSS	2001 33.1%	0.45	50% improvement
19.06	Food and Nutrient Consumption	Vegetable intake - At least three daily servings, with at least 1/3 being of dark green or deep yellow (age adjusted, ages 2 years and older)	0.5	main		CFHS (CVH)	D/P	S & I	Y	BRFSS	2001 22.2%	0.55	60% improvement
19.07	Food and Nutrient Consumption	Grain product intake - At least six daily servings, with at least three being whole grains (age adjusted, ages 2 years and older)	0.5	main		CFHS (CVH)		NS					
19.08	Food and Nutrient Consumption	Saturated fat intake - Less than 10% of calories from (age adjusted, ages 2 years and older)	0.75	main		CFHS (CVH)		NS					
19.09	Food and Nutrient Consumption	Total fat intake - No more than 30% of calories from (age adjusted, ages 2 years and older)	0.75	main		CFHS (CVH)		NS					

Focus Area **19 Title Nutrition and Overweight** **Goal Promote health and reduce chronic disease associated with diet and weight.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
19.10	Food and Nutrient Consumption	Sodium intake - 2,400 mg or less daily (age adjusted, ages 2 years and older)	0.65	main		CFHS (CVH)		NS					
19.11	Food and Nutrient Consumption	Meet calcium recommendations (age adjusted, ages 2 years and older)	0.75	main		CFHS (CVH)		NS					
19.12a	Iron Deficiency and Anemia	Iron deficiency in young children (ages 1 to 2 years)	0.05	main		CFHS (MCH)	D/P	S&I	no	PedNSS	15.5% (1999)	0.1	
19.12a	Iron Deficiency and Anemia	Iron deficiency in young children (ages 1 to 2 years)	0.05	sub1	Native American, 1 to 2 years old	CFHS (MCH)	D/P	S&I	no	PedNSS	18.3% (1999)	0.15	
19.12a	Iron Deficiency and Anemia	Iron deficiency in young children (ages 1 to 2 years)	0.05	sub2	Hispanic children, 24-35 mos.	CFHS (MCH)	D/P	S&I	no	PedNSS	17.6% (1999)	0.15	
19.12b	Iron Deficiency and Anemia	Iron deficiency in young children (ages 3 to 4 years)	0.01	main		CFHS (MCH)	D/P	S&I	no	PedNSS	10.9% (1999)	0.05	
19.12c	Iron Deficiency and Anemia	Iron deficiency in nonpregnant females (ages 12 to 49 years)	0.07	main		CFHS (MCH)	D/P						
19.13	Iron Deficiency and Anemia	Anemia in low-income pregnant females - In third trimester (ages 12 to 49 years)	0.2	main		CFHS (MCH)	D/P	S	no	PNSS	17.9%(99)		see notes
19.14	Iron Deficiency and Anemia	Iron deficiency in pregnant females	DNC	main		CFHS (MCH)	D/P	S&I	no	PNSS	6.8%(99)	0.06	base - 10%
19.15	Schools, Worksites, and Nutrition Counseling	Meals and snacks at school - Children and Adolescents (ages 6 to 19 years)	DNC	main		CFHS (CVH)	D/P	S & I	N	TBD	NA	TBDT	WBDABE
19.16	Schools, Worksites, and Nutrition Counseling	Worksite promotion of nutrition education and weight management Classes at Worksite or Health Plan Worksites with 50+ employees	0.85	main		CFHS (USCHPA)	D/P	S	N	USCHPA	TBD	TBDT	WBDABE
19.17	Schools, Worksites, and Nutrition Counseling	Physician office visits that include diet/nutrition counseling for medical conditions (age adjusted)	0.75	main		CFHS (CVH)		NS					

Focus Area 19 Title Nutrition and Overweight

Goal Promote health and reduce chronic disease associated with diet and weight.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
19.18	Food Security	Food security (U.S. households)	0.94	main		CFHS (CVH)		NS					

Focus Area **20 Title Occupational Safety and Health** **Goal Promote the health and safety of people at work through prevention and early intervention.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
20.01a		Work-related injury deaths - All industries (per 100,000 workers, ages 16 years and older)	3.2	main		ELS (Epi)		NS					
20.01b		Work-related injury deaths - Mining (per 100,000 workers, ages 16 years and older)	16.5	main		ELS (Epi)		NS					
20.01c		Work-related injury deaths - Construction (per 100,000 workers, ages 16 years and older)	10.2	main		ELS (Epi)		NS					
20.01d		Work-related injury deaths - Transportation (per 100,000 workers, ages 16 years and older)	8.3	main		ELS (Epi)		NS					
20.01e		Work-related injury deaths - Agriculture, forestry, and fishing (per 100,000 workers, ages 16 years and older)	16.9	main		ELS (Epi)		NS					
20.02a		Work-related injuries - All industries (per 100 full-time workers, ages 16 years and older)	4.3	main		ELS (Epi)		NS					
20.02b		Work-related injuries - Construction (per 100 full-time workers, ages 16 years and older)	6.1	main		ELS (Epi)		NS					
20.02c		Work-related injuries - Health services (per 100 full-time workers, ages 16 years and older)	5.5	main		ELS (Epi)		NS					
20.02d		Work-related injuries - Agricultural, forestry, and fishing (per 100 full-time workers, ages 16 years and older)	5.3	main		ELS (Epi)		NS					
20.02e		Work-related injuries - Transportation (per 100 full-time workers, ages 16 years and older)	5.5	main		ELS (Epi)		NS					
20.02f		Work-related injuries - Mining (per 100 full-time workers, ages 16 years and older)	3.3	main		ELS (Epi)		NS					
20.02g		Work-related injuries - Manufacturing (per 100 full-time workers, ages 16 years and older)	6	main		ELS (Epi)		NS					
20.02h		Work-related injuries - Adolescent workers (per 100 full-time workers, ages 15 to 17 years)	3.4	main		ELS (Epi)		NS					

Focus Area **20 Title Occupational Safety and Health** **Goal Promote the health and safety of people at work through prevention and early intervention.**

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
20.03		Overexertion or repetitive motion injuries (per 100,000 full-time workers)	338	main		ELS (Epi)		NS					
20.04		Pneumoconiosis deaths - (number, ages 15 years and older)	1900	main		ELS (Epi)		NS					
20.05		Work-related homicides - (per 100,000 population ages 16 years and older)	0.4	main		ELS (Epi)		NS					
20.06		Work-related assaults - (per 100 workers, ages 16 years and older)	0.6	main		ELS (Epi)		NS					
20.07		Elevated blood lead levels from work exposure >=25 ug/dL (per million population, ages 16 to 64 years)	0	main		EPI/ UOSHA	D/P	S&I	NO	UBLR	8.6 per 100,000 workers	ZERO	
20.08		Occupational skin diseases or disorders - (per 100,000 full-time workers, ages 16 years and older)	47	main		ELS (Epi)		NS					
20.09		Worksite stress reduction programs - Worksites with 50 or more employees	0.5	main		ELS (Epi)		NS					
20.11		Noise-induced hearing loss, work-related	DNC	main		ELS (Epi)		NS					

Focus Area 21 Title Oral Health

Goal Prevent and control oral and craniofacial diseases, conditions, and injuries and improve access to related services.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
21.01a		Dental caries experience - Primary teeth - Young children (ages 2 to 4 years)	0.11	main		CFHS (Oral)	D/P	S&I	N				
21.01b		Dental caries experience - Primary or permanent teeth - Children (ages 6 to 8 years)	0.42	main		CFHS (Oral)	UDOH	S&I		Statewide survey	0.58	0.5	Compared Utah baseline to HP2010
21.01c		Dental caries experience - Permanent teeth -Adolescents (age 15 years)	0.51	main		CFHS (Oral)		NS					
21.02a		Untreated dental decay - Primary teeth - Young children (ages 2 to 4 years)	0.09	main		CFHS (Oral)	D/P	S&I	N				
21.02b		Untreated dental decay - Primary or permanent teeth - Children (ages 6 to 8 years)	0.21	main		CFHS (Oral)	UDOH	S&I		Statewide survey	0.22	0.2	Compared Utah baseline to HP2010
21.02c		Untreated dental decay - Permanent teeth -Adolescents (age 15 years)	0.15	main		CFHS (Oral)		NS					
21.02d		Untreated dental decay - Adults (ages 35 to 44 years)	0.15	main		CFHS (Oral)		NS					
21.03		No permanent tooth loss - Adults (ages 35 to 44 years)	0.42	main		CFHS (Oral)		S					
21.04		Complete tooth loss - Older adults (ages 65 to 74 years)	0.2	main		CFHS (Oral)		NS					
21.05a		Periodontal diseases - Gingivitis - Adults (ages 35 to 44 years)	0.41	main		CFHS (Oral)		NS					
21.05b		Destructive periodontal disease - Adults (ages 35 to 44 years)	0.14	main		CFHS (Oral)		NS					
21.06		Early detection of oral and pharyngeal cancers	0.5	main		CFHS (Oral)		NS					
21.07		Annual examinations for oral and pharyngeal cancers - Adults (age adjusted, ages 40 years and older)	0.2	main		CFHS (Oral)		NS					

Focus Area **22 Title** Physical Fitness and Activity **Goal** Improve health, fitness, and quality of life through daily physical activity.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
22.01	Physical Activity in Adults	No leisure-time physical activity (age adjusted, ages 18 years and older)	0.2	main		CFHS (CVH)	UDOH	S & I	N	BRFSS	1999 17.3%	0.15	Based on incremental changes in past
22.02	Physical Activity in Adults	Moderate physical activity (age adjusted, ages 18 years and older)	0.3	main		CFHS (CVH)	UDOH	S & I	N	BRFSS	1999 26.8%	0.3	SAHP2010
22.02	Physical Activity in Adults	Moderate physical activity (age adjusted, ages 18 years and older)	0.3	sub1	Hispanic		S & I	N	BRFS S	1995-1999 23.0%		26% same proportion as above	
22.03	Physical Activity in Adults	Vigorous physical activity (age adjusted, ages 18 years and older)	0.3	main		CFHS (CVH)		NS					
22.04	Muscular Strength and Flexibility	Muscular strength and endurance (age adjusted, ages 18 years and older)	0.3	main		CFHS (CVH)		NS					
22.05	Muscular Strength and Flexibility	Flexibility (age adjusted, ages 18 years and older)	0.43	main		CFHS (CVH)		NS					
22.06	Physical Activity in Children and Adolescents	Moderate physical activity in adolescents (students in grades 9 through 12)	0.35	main		CFHS (CVH)	UDOH	S & I	N	YBRS	2001 30%		SA HP2010
22.07	Physical Activity in Children and Adolescents	Vigorous physical activity in adolescents (students in grades 9 through 12)	0.85	main		SOE	UDOH	S & I	N	YBRS	1999 31.4%	0.4	SA HP2010
22.08a	Physical Activity in Children and Adolescents	Physical education requirement in schools -Middle and junior high schools (students in grades 9 through 12)	0.25	main		SOE	D/P	S & I	N	TBD	NA	TBDT	WBDABE
22.08b	Physical Activity in Children and Adolescents	Physical education requirement in schools -Senior high schools (students in grades 9 through 12)	0.05	main		CFHS (CVH)		NS					
22.09	Physical Activity in Children and Adolescents	Participation in daily physical education in schools (students in grades 9 through 12)	0.5	main		CFHS (CVH)		NS					

Focus Area 22 Title Physical Fitness and Activity Goal Improve health, fitness, and quality of life through daily physical activity.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
22.10	Physical Activity in Children and Adolescents	Physical activity in physical education class (students in grades 9 through 12)	0.5	main		CFHS (CVH)		NS					
22.11	Physical Activity in Children and Adolescents	Television viewing (students in grades 9 through 12)	0.75	main		CFHS (CVH)		S					
22.12	Access	Access to school physical activity facilities, non-school time	DNC	main		SOE	D/P	S & I	N	TBD	NA	TBDT	WBDABE
22.13	Access	Worksite physical activity and fitness only Total - 50+ employees	0.75	main		CFHS (USCHPA)	D/P	S	N	USCHPA Survey	TBD	TBDT	WBDABE
22.14a	Access	Community walking - Adults - Trips of 1 mile or less (age adjusted, ages 18 years and older)	0.25	main		CFHS (CVH)		NS					
22.14b	Access	Community walking - Children and adolescents - Trips to school of 1 mile or less (age adjusted, ages 5 to 15 years)	0.5	main		CFHS (CVH)		NS					
22.15a	Access	Community bicycling - Adults - Trips of 5 miles or less (age adjusted, ages 18 years and older)	0.02	main		CFHS (CVH)		NS					
22.15b	Access	Community bicycling - Children and adolescents -Trips to school of 2 miles or less (age adjusted, ages 5 to 15 years)	0.05	main		CFHS (CVH)		NS					

Focus Area 23 **Title** Public Health Infrastructure **Goal** Ensure that Federal, Tribal, State, and local health agencies have the infrastructure to provide essential public health services effectively.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
23.01	Data and Information Systems	Public health employee access to the Internet	DNC	main		ELS (SP)	D/P	S&I	NO	DOJ/LHD/IT S/IHP	SEVERAL	SEVERAL	
23.02	Data and Information Systems	Public access to information and surveillance data	DNC	main		EDO		NS					
23.03	Data and Information Systems	Use of geocoding in health data systems	0.9	main		EDO		NS					
23.04	Data and Information Systems	Data for all population groups - For Healthy People 2010 objectives	1	main		EDO		NS					
23.05	Data and Information Systems	Data for Leading Health Indicators, Health Status Indicators, and Priority Data Needs at Tribal, State, and local levels	DNC	main		EDO		NS					
23.06	Data and Information Systems	National tracking data for the Healthy People 2010 objectives	1	main		EDO		NS					
23.07	Data and Information Systems	Timely release of data on objectives	1	main		EDO		NS					
23.08	Workforce	Competencies for public health workers	DNC	main		EDO		NS					
23.09	Workforce	Training in essential public health services	DNC	main		EDO		NS					
23.10	Workforce	Continuing education and training by public health agencies	DNC	main		EDO		NS					
23.11	Public Health Organizations	Performance standards for essential public health services	DNC	main		EDO		NS					
23.12a	Public Health Organizations	Health improvement plans - Tribes	DNC	main		EDO		NS					

Focus Area 23 **Title** Public Health Infrastructure **Goal** Ensure that Federal, Tribal, State, and local health agencies have the infrastructure to provide essential public health services effectively.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
23.12b	Public Health Organizations	Health improvement plans - States and the District of Columbia	1	main		EDO		NS					
23.12c	Public Health Organizations	Health improvement plans - Local jurisdictions	0.8	main		EDO		NS					
23.13	Public Health Organizations	Access to public health laboratory services	DNC	main		EDO		NS					
23.14	Public Health Organizations	Access to epidemiology services	DNC	main		ELS (Epi)	UDOH	S&I	NO	DOJ/LHD/IT S/IHP	UNDER DEVELOPMENT	UNDER DEVELOPMENT	
23.15	Public Health Organizations	Model statutes related to essential public health services	DNC	main		EDO		NS					
23.16	Resources	Data on public health expenditures	DNC	main		EDO		NS					
23.17	Prevention Research	Population-based prevention research	DNC	main		EDO		NS					

Focus Area 24 Title Respiratory Diseases

Goal Promote respiratory health through better prevention, detection, treatment, and education efforts.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
24.01a	Asthma	Deaths from asthma - Children (per million population, ages under 5 years)	1	main		CFHS (Asthma)	UDOH	S	no	vital records	0/1,000,000 (1999-2001)		
24.01b	Asthma	Deaths from asthma - Children and youth (per million population, ages 5 to 14 years)	1	main		CFHS (Asthma)	UDOH	S	no	vital records	0/1,000,000 (1999-2001)		
24.01c	Asthma	Deaths from asthma - Adolescents and adults (per million population, ages 15 to 34 years)	2	main		CFHS (Asthma)	UDOH	S	no	vital records	2.2/1,000,000 (1999-2001)		
24.01d	Asthma	Deaths from asthma - Adults (per million population, ages 35 to 64 years)	9	main		CFHS (Asthma)	UDOH	S	no	vital records	10.2/1,000,000 (1999-2001)		
24.01e	Asthma	Deaths from asthma - Older adults (per million population, ages 65 years and older)	60	main		CFHS (Asthma)	UDOH	S	no	vital records	121.2/1,000,000 (1999-2001)		
24.02a	Asthma	Hospitalizations for asthma - Children (per 10,000 population, ages under 5 years)	25	main		CFHS (Asthma)	D/P	S	no	hospital discharge	18/10,000 (2000)		
24.02b	Asthma	Hospitalizations for asthma - Children and adults (age adjusted per 10,000 standard population, ages 5 to 64 years)	7.7	main		CFHS (Asthma)	UDOH	S	no	hospital discharge	3.9/10,000 (2000)		
24.02c	Asthma	Hospitalizations for asthma - Adults (age adjusted per 10,000 standard population, ages 65 years and older)	11	main		CFHS (Asthma)	UDOH	S	no	hospital discharge	10.7/10,000 (2000)		
24.03a	Asthma	Hospital emergency department visits for asthma -Children (per 10,000 population, ages under 5 years)	80	main		CFHS (Asthma)	UDOH	S	no	er data base	56/10,000 (2000)		
24.03b	Asthma	Hospital emergency department visits for asthma - Children and adults (per 10,000 population, ages 5 to 64 years)	50	main		CFHS (Asthma)	D/P	S	no	er data base	23.5/10,000 (2000)		
24.03c	Asthma	Hospital emergency department visits for asthma - Older adults (per 10,000 population, ages 65 years and older)	15	main		CFHS (Asthma)	D/P	S	no	er data base	21.2/10,000 (2000)		
24.04	Asthma	Activity limitations - Among persons with asthma (age adjusted)	0.1	main		CFHS (Asthma)	D/P	S	no	BRFSS	to be determined		

Focus Area 24 Title Respiratory Diseases

Goal Promote respiratory health through better prevention, detection, treatment, and education efforts.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
24.05	Asthma	School or work days lost - Among persons with asthma, due to asthma (number)	DNC	main		CFHS (Asthma)	D/P	S	no	BRFSS	developmental		
24.06	Asthma	Patient education - Among persons with asthma (age adjusted)	0.3	main		CFHS (Asthma)	D/P	S	no	BRFSS	developmental		
24.07a	Asthma	Appropriate asthma care - Among persons with asthma who receive written plans from health care provider	DNC	main		CFHS (Asthma)	D/P	S	no	BRFSS	developmental		
24.07b	Asthma	Appropriate asthma care - Among persons with asthma with prescribed inhalers who receive instructions on how to use them	DNC	main		CFHS (Asthma)	D/P	S	no	BRFSS	developmental		
24.07c	Asthma	Appropriate asthma care - Among persons with asthma who receive education about recognizing early signs of asthma episodes	DNC	main		CFHS (Asthma)	D/P	S	no	BRFSS	developmental		
24.07d	Asthma	Appropriate asthma care - Among persons with asthma who receive medication regimens which prevent need of more than 1 canister of inhaler per month	DNC	main		CFHS (Asthma)	D/P	S	no	BRFSS	developmental		
24.07e	Asthma	Appropriate asthma care - Among persons with asthma who receive long-term management after any hospitalizations due to asthma	DNC	main		CFHS (Asthma)	D/P	S	no	BRFSS	developmental		
24.07f	Asthma	Appropriate asthma care - Among persons with asthma who receive assistance in reducing exposure to environmental risk factors	DNC	main		CFHS (Asthma)	D/P	S	no	BRFSS	developmental		
24.08	Asthma	Surveillance systems (state based)	DNC	main		CFHS (Asthma)		NS					
24.09	Chronic Obstructive Pulmonary Disease (COPD)	Activity limitations due to chronic lung and breathing problems (age adjusted, ages 45 years and older)	0.015	main		CFHS (Hlth p't'n)		NS					
24.10	Chronic Obstructive Pulmonary Disease (COPD)	Deaths from chronic obstructive pulmonary disease (COPD) - Adults (age adjusted per 100,000 standard population, ages 45 years and older)	60	main		CFHS (Hlth p't'n)		NS					

Focus Area 24 **Title** Respiratory Diseases

Goal Promote respiratory health through better prevention, detection, treatment, and education efforts.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modi- fied</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
24.11a	Obstructive Sleep Apnea	Medical evaluation and followup - Persons with excessive daytime sleepiness, loud snoring, and other signs associated with sleep apnea who seek medical evaluation	DNC	main		CFHS (Hlth p't'n)		NS					
24.11b	Obstructive Sleep Apnea	Medical evaluation and followup - Persons with excessive daytime sleepiness, loud snoring, and other signs associated with sleep apnea who receive followup medical care	DNC	main		CFHS (Hlth p't'n)		NS					
24.12	Obstructive Sleep Apnea	Vehicular crashes related to excessive sleepiness	DNC	main		CFHS (Hlth p't'n)		NS					

Focus Area 25 **Title** Sexually Transmitted Diseases **Goal** Promote responsible sexual behaviors, strengthen community capacity, and increase access to quality services to prevent sexually transmitted diseases (STDs) and their complications.

Obj Num	Category	Objective	2010 US Target	Pop Cat	Population Description	Lead Agency	Level of Interest	Type of Interest	Modified	Data Source	UT Baseline	UT Target	UT Target Selection
25.01a	Bacterial STD Illness and Disability	Chlamydia - Infections of females attending family planning clinics (ages 15 to 24 years)	0.03	main		ELS (STD)	UDOH	S&I	NO	STDMIS	Better Than The Best	0.03	US TARGET
25.01b	Bacterial STD Illness and Disability	Chlamydia - Infections of females attending STD clinics (ages 15 to 24 years)	0.03	main		ELS (STD)		NS					
25.01c	Bacterial STD Illness and Disability	Chlamydia - Infections of males attending STD clinics (ages 15 to 24 years)	0.03	main		ELS (STD)		NS					
25.02	Bacterial STD Illness and Disability	Gonorrhea - New cases (per 100,000 population)	19	main		ELS (STD)	UDOH	S&I	NO	STDMIS	14	5	Trend Analysis
25.03	Bacterial STD Illness and Disability	Primary and secondary syphilis - Transmission of (per 100,000 population)	0.2	main		ELS (STD)	UDOH	S&I	NO	STDMIS	0.24	0.04	Trend Analysis
25.04	Viral STD Illness and Disability	Genital herpes - Adults with infection (ages 20 to 29 years)	0.14	main		ELS (STD)	NI	NS					
25.05	Viral STD Illness and Disability	Human papillomavirus infection	DNC	main		ELS (STD)	NI	NS					
25.06	STD Complications Affecting Females	Treatment for pelvic inflammatory disease (PID) -Females (ages 15 to 44 years)	0.05	main		ELS (STD)	UDOH	S&I		STDMIS	NO CURRENT METHOD OF MEASUREMENT		
25.07	STD Complications Affecting Females	Fertility problems - Childless females with an STD or PIV (ages 15 to 44 years)	0.15	main		ELS (STD)	NI	NS					
25.08	STD Complications Affecting Females	Heterosexually transmitted HIV infection in women ages 13 to 24 years)	DNC	main		ELS (HIV)		NS			UNDER DEVELOPMENT		

Focus Area 25 **Title** Sexually Transmitted Diseases **Goal** Promote responsible sexual behaviors, strengthen community capacity, and increase access to quality services to prevent sexually transmitted diseases (STDs) and their complications.

Obj Num	Category	Objective	2010 US Target	Pop Cat	Population Description	Lead Agency	Level of Interest	Type of Interest	Modified	Data Source	UT Baseline	UT Target	UT Target Selection
25.09	STD Complications Affecting Fetus and Newborn	Congenital syphilis (per 100,000 live births)	1	main		ELS (STD)	UDOH	S&I	NO	STDMIS	0	0	UT TARGET
25.10	STD Complications Affecting Fetus and Newborn	Neonatal STDs	DNC	main		ELS (STD)	UDOH	S&I	NO	STDMIS	0	0	Prev. yr cases
25.11	Personal Behaviors	Responsible adolescent sexual behavior - Students (grades 9 through 12)	0.95	main		ELS (STD)		NS					
25.12	Personal Behaviors	Responsible sexual behavior messages on television	DNC	main		ELS (STD)	NI	NS					
25.13	Community Protection Infrastructure	Hepatitis B vaccines offered in STD clinics -Tribal, State and local	0.9	main		ELS (STD)	UDOH	NS	NO	LHD	0.4	0.9	US TARGET
25.14	Community Protection Infrastructure	Screening for sexually transmitted diseases in detention facilities and jails	DNC	main		ELS (STD)		NS					
25.15	Community Protection Infrastructure	Contracts with managed care providers to treat nonplan partners of STD patients	DNC	main		ELS (STD)		NS					
25.16	Personal Health Services	Annual screening for genital chlamydia - Females (ages 25 years and under)	DNC	main		ELS (STD)		NS					
25.17	Personal Health Services	STD screening of pregnant women during prenatal healthcare visits	DNC	main		ELS (STD)	D/P	S&I	NO	PROVIDER	UNDER DEVELOPMENT		
25.18	Personal Health Services	Compliance with recognized STD treatment standard	0.9	main		ELS (STD)		NS					
25.19	Personal Health Services	Provider referral services for partners of STD patients	DNC	main		ELS (STD)	UDOH	S&I	NO	PROVIDER	UNDER DEVELOPMENT		

Focus Area 26 Title Substance Abuse

Goal Reduce substance abuse to protect the health, safety, and quality of life for all, especially children.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
26.01a	Adverse Consequences of Substance Use and Abuse	Alcohol-related motor vehicle crash deaths (per 100,000 population)	4	main		???		NS					
26.01b	Adverse Consequences of Substance Use and Abuse	Alcohol-related motor vehicle crash injuries (per 100,000 population)	65	main		???		NS					
26.01c	Adverse Consequences of Substance Use and Abuse	Drug-related motor vehicle crash deaths (per 100,000 population)	DNC	main		???		NS					
26.01d	Adverse Consequences of Substance Use and Abuse	Drug-related motor vehicle crash injuries (per 100,000 population)	DNC	main		???		NS					
26.02	Adverse Consequences of Substance Use and Abuse	Cirrhosis deaths (age adjusted per 100,000 standard population)	3	main		???		NS					
26.03	Adverse Consequences of Substance Use and Abuse	Drug-induced deaths (age adjusted per 100,000 standard population)	1	main		???		NS					
26.04	Adverse Consequences of Substance Use and Abuse	Drug-related hospital emergency department visits (thousands)	350	main		???		NS					
26.05	Adverse Consequences of Substance Use and Abuse	Alcohol-related hospital emergency department visits (number)	DNC	main		???		NS					
26.06	Adverse Consequences of Substance Use and Abuse	Adolescents riding with a driver who has been drinking alcohol - Students (grades 9 through 12)	0.3	main		???		NS					

Focus Area 26 **Title** Substance Abuse

Goal Reduce substance abuse to protect the health, safety, and quality of life for all, especially children.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
26.07	Adverse Consequences of Substance Use and Abuse	Intentional injuries from alcohol and drug-related violence	DNC	main		???		NS					
26.08	Adverse Consequences of Substance Use and Abuse	Lost productivity due to alcohol and drug use	DNC	main		???		NS					
26.09a	Substance Use and Abuse	Average age at first use of alcohol - Adolescents (ages 12 to 17 years)	16.1	main		???		NS					
26.09b	Substance Use and Abuse	Average age at first use of marijuana -Adolescents (ages 12 to 17 years)	17.4	main		???		NS					
26.09c	Substance Use and Abuse	High school seniors never consuming alcoholic beverages	0.29	main		???		NS					
26.09d	Substance Use and Abuse	High school seniors never using illicit drugs	0.56	main		???		NS					
26.10a	Substance Use and Abuse	Adolescents not using alcohol or illicit drugs in past 30 days (ages 12 to 17 years)	0.89	main		???		NS					
26.10b	Substance Use and Abuse	Adolescents not using marijuana in past 30 days (ages 12 to 17 years)	0.007	main		???		NS					
26.10c	Substance Use and Abuse	Adults not using illicit drugs in past 30 days (ages 18 years and older)	0.02	main		???		NS					
26.11a	Substance Use and Abuse	Binge drinking - High school seniors	0.11	main		???		NS					
26.11b	Substance Use and Abuse	Binge drinking - College students	0.2	main		???		NS					
26.11c	Substance Use and Abuse	Binge drinking - Adults (ages 18 years and older)	0.06	main		???		NS					
26.11d	Substance Use and Abuse	Binge drinking - Adolescents (ages 12 to 17 years)	0.02	main		???		NS					

Focus Area 26 **Title** Substance Abuse

Goal Reduce substance abuse to protect the health, safety, and quality of life for all, especially children.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
26.12	Substance Use and Abuse	Average annual alcohol consumption (gallons, ages 14 years and older)	2	main		???		NS					
26.13a	Substance Use and Abuse	Adult females exceeding guidelines for low-risk drinking (ages 21 years and older)	0.5	main		???		NS					
26.13b	Substance Use and Abuse	Adult males exceeding guidelines for low-risk drinking (ages 21 years and older)	0.5	main		???		NS					
26.14a	Substance Use and Abuse	Steroid use among adolescents - 8th graders	0.004	main		???		NS					
26.14b	Substance Use and Abuse	Steroid use among adolescents - 10th graders	0.004	main		???		NS					
26.14c	Substance Use and Abuse	Steroid use among adolescents - 12th graders	0.004	main		???		NS					
26.15	Substance Use and Abuse	Inhalant use among adolescents (ages 12 to 17 years)	0.007	main		???		NS					
26.16a	Risk of Substance Use and Abuse	Peer disapproval of substance abuse - 8th graders	0.83	main		???		NS					
26.16b	Risk of Substance Use and Abuse	Peer disapproval of substance abuse - 10th grader	0.83	main		???		NS					
26.16c	Risk of Substance Use and Abuse	Peer disapproval of substance abuse - 12th grader	0.83	main		???		NS					
26.16d	Risk of Substance Use and Abuse	Peer disapproval of trying marijuana or hashish once or twice - 8th graders	0.72	main		???		NS					
26.16e	Risk of Substance Use and Abuse	Peer disapproval of trying marijuana or hashish once or twice - 10th graders	0.72	main		???		NS					

Focus Area 26 **Title** Substance Abuse

Goal Reduce substance abuse to protect the health, safety, and quality of life for all, especially children.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
26.16f	Risk of Substance Use and Abuse	Peer disapproval of trying marijuana or hashish once or twice - 12th graders	0.72	main		???		NS					
26.17a	Risk of Substance Use and Abuse	Perception of risk associated with consuming 5+ alcoholic drinks at a single occasion once or twice a week - Adolescents (ages 12 to 17 years)	0.8	main		???		NS					
26.17b	Risk of Substance Use and Abuse	Perception of risk associated with smoking marijuana once per month - Adolescents (ages 12to 17 years)	0.8	main		???		NS					
26.17c	Risk of Substance Use and Abuse	Perception of risk associated with using cocaine once per month - Adolescents (ages 12 to 17 years)	0.8	main		???		NS					
26.18	Treatment for Substance Abuse	Treatment gap for illicit drugs in the general population	DNC	main		???		NS					
26.19	Treatment for Substance Abuse	Substance abuse treatment in correctional institutions	DNC	main		???		NS					
26.20	Treatment for Substance Abuse	Treatment admissions for injection drug use (thousands)	200	main		???		NS					
26.21	Treatment for Substance Abuse	Treatment gap for problem alcohol use	DNC	main		???		NS					
26.22	State and Local Efforts	Hospital emergency department referrals for alcohol/drug problems, suicide attempts	DNC	main		???		NS					
26.23	State and Local Efforts	Community partnerships and coalitions to prevent substance abuse (number)	DNC	main		???		NS					
26.24	State and Local Efforts	Administrative license revocation laws for persons who drive under the influence of intoxicants (number of States and D.C.)	51	main		???		NS					

Focus Area 26 Title Substance Abuse

Goal Reduce substance abuse to protect the health, safety, and quality of life for all, especially children.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
26.25	State and Local Efforts	Blood alcohol concentration (BAC) levels for motor vehicle drivers (number of States and D.C., ages 21 years and older)	51	main		???		NS					

Focus Area 27 Title Tobacco Use

Goal Reduce illness, disability, and death related to tobacco use and exposure to secondhand smoke.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
27.01a	Tobacco Use in Population Groups	Cigarette smoking - Adults (age adjusted, ages 18 years and older)	0.12	main		CFHS (Tobacco)	UDOH	S&I	no	BRFSS	13.9% 1999	0.11	CTFU
27.01a	Tobacco Use in Population Groups	Cigarette smoking - Adults (age adjusted, ages 18 years and older)	0.12	sub1	Adult tobacco use (cigarette smoking) by education (less than high school)	CFHS (Tobacco)	UDOH	S&I	no	BRFSS	31% 1997-99 (aggreg.data)	0.25	TPCP
27.01a	Tobacco Use in Population Groups	Cigarette smoking - Adults (age adjusted, ages 18 years and older)	0.12	sub2	Adult tobacco use (cigarette smoking) by income (less than \$20,000 annual income)	CFHS (Tobacco)	UDOH	S&I	no	BRFSS	19% 1997-99 (aggreg.data)	0.15	TPCP
27.01b	Tobacco Use in Population Groups	Spit tobacco use - Adults (age adjusted, ages 18 years and older)	0.004	main		CFHS (Tobacco)	D/P	S	yes	BRFSS	1.8% 2002	0.015	TPCP
27.01c	Tobacco Use in Population Groups	Cigar smoking - Adults (age adjusted, ages 18 years and older)	0.012	main		CFHS (Tobacco)	D/P	S	yes	BRFSS	3.4% 2002	0.03	TPCP
27.01d	Tobacco Use in Population Groups	Other tobacco use - Adults (age adjusted, ages 18 years and older)	DNC	main		CFHS (Tobacco)		NS					
27.02a	Tobacco Use in Population Groups	Adolescent use of tobacco products in past month Students (grades 9 through 12)	0.21	main		CFHS (Tobacco)		NS					
27.02b	Tobacco Use in Population Groups	Adolescent use of cigarettes in past month -Students (grades 9 through 12)	0.16	main		CFHS (Tobacco)	UDOH	S&I	no	YTS	14.9% 1997 (Bahr)	0.1	TPCP
27.02c	Tobacco Use in Population Groups	Adolescent use of spit tobacco in past month - Students (grades 9 through 12)	0.01	main		CFHS (Tobacco)	D/P	S	no	YTS	TBD	TBD	
27.02d	Tobacco Use in Population Groups	Adolescent use of cigars in past month - Students (grades 9 through 12)	0.08	main		CFHS (Tobacco)	D/P	S	no	YTS	TBD	TBD	

Focus Area 27 Title Tobacco Use

Goal Reduce illness, disability, and death related to tobacco use and exposure to secondhand smoke.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
27.03	Tobacco Use in Population Groups	Initiation of tobacco use - Children and adolescents	DNC	main		CFHS (Tobacco)	D/P	NS	no		N/A	N/A	
27.04a	Tobacco Use in Population Groups	Average age at first tobacco use of adolescents (ages 12 to 17 years)	14	main		CFHS (Tobacco)	D/P	S&I	no	YTS	TBD	TBD	
27.04b	Tobacco Use in Population Groups	Average age at first tobacco use of young adults (ages 18 to 25 years)	17	main		CFHS (Tobacco)	D/P	S	yes	BRFSS	14 2002	TBD	17
27.05	Cessation and Treatment	Smoking cessation attempts by adults (age adjusted, ages 18 years and older)	0.75	sub1	Smoking cessation attempts by adults by education (less than high school)	CFHS (Tobacco)	D/P	S&I	yes	BRFSS	to be determined	0.75	TPCP
27.05	Cessation and Treatment	Smoking cessation attempts by adults (age adjusted, ages 18 years and older)	0.75	sub2	Smoking cessation attempts by adults by income (less than \$20,000 annual income)	CFHS (Tobacco)	D/P	S&I	yes	BRFSS	to be determined	0.75	TPCP
27.05	Cessation and Treatment	Smoking cessation attempts by adults (age adjusted, ages 18 years and older)	0.75	main		CFHS (Tobacco)	D/P	S&I	no	BRFSS	52.3% 1999	0.75	HP2010
27.06	Cessation and Treatment	Smoking cessation during pregnancy - Females during first trimester (ages 18 to 49)	0.3	main		CFHS (Tobacco)	D/P	S&I	yes	PRAMS	50% 2000	0.6	TPCP
27.06	Cessation and Treatment	Smoking cessation during pregnancy - Females during first trimester (ages 18 to 49)	0.3	sub1	Smoking cessation during pregnancy by income (less than \$15,000)	CFHS	D/P	S&I	yes	PRAMS	34% 2000	0.45	TPCP
27.07	Cessation and Treatment	Smoking cessation attempts by adolescents -Students (grades 9 through 12)	0.84	main		CFHS (Tobacco)	D/P	S&I	no	YTS	TBD	TBD	
27.08a	Cessation and Treatment	Managed care organization coverage treatment of nicotine dependancy	1	main		CFHS (Tobacco)	D/P	S&I	no	ACS Survey	to be determined	to be determined	

Focus Area 27 Title Tobacco Use

Goal Reduce illness, disability, and death related to tobacco use and exposure to secondhand smoke.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
27.08b	Cessation and Treatment	Medicaid program coverage for treatment of nicotine dependency (number of States and the D.C)	51	main		CFHS (Tobacco)		NS					
27.08c	Cessation and Treatment	Any insurance coverage for treatment of nicotine dependency	DNC	main		CFHS (Tobacco)		NS					
27.09	Exposure to Secondhand Smoke	Exposure to tobacco smoke at home - Children (ages 6 years and under)	0.1	main		CFHS (Tobacco)	UDOH	S&I	yes	Utah Health Status Survey	6% 2001 (17 and younger)	0.05	TPCP
27.09	Exposure to Secondhand Smoke	Exposure to tobacco smoke at home - Children (ages 6 years and under)	0.1	sub1	Exposure to tobacco smoke at home among children by income (less than \$20,000 annual income)	CFHS (Tobacco)	UDOH	S&I	no	Utah Health Status Survey	13.1% 2001 (17 and younger)	0.1	TPCP
27.10	Exposure to Secondhand Smoke	Exposure to environmental tobacco smoke -Nonsmokers (age adjusted, ages 4 years and older)	0.45	main		CFHS (Tobacco)	D/P	NS	no	N/A	N/A	N/A	
27.11	Exposure to Secondhand Smoke	Smoke-free and tobacco-free schools	1	main		CFHS (Tobacco)	D/P	S	no	SHEPS	100% (students) 90% (faculty)		
27.12	Exposure to Secondhand Smoke	Worksite policies limiting smoking to ventilated areas	1	main		CFHS (Tobacco)	D/P	NS	no	N/A	100% policy coverage		
27.13a	Exposure to Secondhand Smoke	Smoke-free indoor air laws - Private workplaces (number of States and D.C.)	51	main		CFHS (Tobacco)	D/P	NS	no	N/A	100% in target areas		
27.13b	Exposure to Secondhand Smoke	Smoke-free indoor air laws - Public workplaces (number of States and D.C.)	51	main		CFHS (Tobacco)	D/P	NS	no	N/A	100% in target areas		
27.13c	Exposure to Secondhand Smoke	Smoke-free indoor air laws - Restaurants (number of States and D.C.)	51	main		CFHS (Tobacco)	D/P	NS	no	N/A	100% in target areas		

Focus Area 27 Title Tobacco Use

Goal Reduce illness, disability, and death related to tobacco use and exposure to secondhand smoke.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
27.13d	Exposure to Secondhand Smoke	Smoke-free indoor air laws - Public transportation (number of States and D.C.)	51	main		CFHS (Tobacco)	D/P	NS	no	N/A	100% in target areas		
27.13e	Exposure to Secondhand Smoke	Smoke-free indoor air laws - Day care centers (number of States and D.C.)	51	main		CFHS (Tobacco)	D/P	NS	no	N/A	100% in target areas		
27.13f	Exposure to Secondhand Smoke	Smoke-free indoor air laws - Retail stores (number of States and D.C.)	51	main		CFHS (Tobacco)	D/P	NS	no	N/A	100% in target areas		
27.13g	Exposure to Secondhand Smoke	Smoke-free indoor air laws - Tribes (number)	DNC	main		CFHS (Tobacco)		NS	no	N/A			
27.13h	Exposure to Secondhand Smoke	Smoke-free indoor air laws - Territories (number)	DNC	main		CFHS (Tobacco)		NS	no	N/A			
27.14a	Social and Environmental Changes	Enforcement of illegal tobacco sales to minors laws - Jurisdictions with <=5% illegal buy rate among minors (number of States and D.C.)	51	main		CFHS (Tobacco)	D/P LHD	S&I	no	Synar	18.6% FY2000	less than 20%	
27.14b	Social and Environmental Changes	Enforcement of illegal tobacco sales to minors laws - Jurisdictions with <=5% illegal buy rate among minors (Territories)	ALL	main		CFHS (Tobacco)							
27.15	Social and Environmental Changes	Retail license suspension for sales to minors (number of States and D.C.)	51	main		CFHS (Tobacco)	D/P	NS	no	N/A	Utah has license suspension law		
27.16	Social and Environmental Changes	Tobacco advertising and promotion targeting adolescents and young adults	DNC	main		CFHS (Tobacco)	D/P	NS	no	N/A	N/A		
27.17a	Social and Environmental Changes	Adolescent disapproval of smoking - 8th	0.95	main		CFHS (Tobacco)	D/P	S&I	no	YTS	to be determined	to be determined	
27.17b	Social and Environmental Changes	Adolescent disapproval of smoking - 10th graders	0.95	main		CFHS (Tobacco)	D/P	S&I	no	YTS	to be determined	to be determined	

Focus Area 27 Title Tobacco Use

Goal Reduce illness, disability, and death related to tobacco use and exposure to secondhand smoke.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
27.17c	Social and Environmental Changes	Adolescent disapproval of smoking - 12th graders	0.95	main		CFHS (Tobacco)	D/P	S&I	no	YTS	to be determined	to be determined	
27.18	Social and Environmental Changes	Evidence-based tobacco control programs (number of States and D.C.)	DNC	main		CFHS (Tobacco)	D/P	NS	no	N/A	Utah has comprehensive tobacco control program		
27.19	Social and Environmental Changes	Preemptive tobacco control laws (number of States and D.C.)	0	main		CFHS (Tobacco)	NI	NS	no	N/A	N/A		
27.20	Social and Environmental Changes	Regulation of tobacco products for toxicity	DNC	main		CFHS (Tobacco)	NI	NS	no	N/A	N/A		
27.21a	Social and Environmental Changes	Combined federal and average state tax on cigarettes	2	main		CTFU	N/A	NS	no	N/A	51.5 cents (1999)	to be determined	CTFU
27.21b	Social and Environmental Changes	Combined federal and average state tax on spit tobacco	DNC	main		CFHS (Tobacco)		NS					
27.Utah-1	Social and Environmental Changes	Statewide tobacco consumption		main		CFHS (Tobacco)	D/P	S&I	no	Tax data	67 packs/adult (19+ yrs)	52 packs/adult	CTFU
27.Utah-2	Social and Environmental Changes	Adult tobacco cessation		main		CFHS (Tobacco)	D/P	S&I	no	program data	700/year (2000)	1500/year	CTFU

<i>Focus Area</i>	28	<i>Title</i> Vision and Hearing	<i>Goal</i> Improve the visual and hearing health of the Nation through prevention, early detection, treatment, and rehabilitation.										
<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
28.01	Vision	Dilated eye examinations at appropriate intervals	DNC	main		CFHS (CSHCN)	NI	NS					
28.02	Vision	Vision screening for children (ages under 5 years)	DNC	main		CFHS (CSHCN)	D/P	NS	Same	Inadequate Data Statewide.			
28.03	Vision	Uncorrected visual impairment due to refractive errors	DNC	main		CFHS (CSHCN)	NI	NS					
28.04	Vision	Blindness and visual impairment in children and adolescents (per 1,000 population, ages 17 years and under)	20	main		CFHS (CSHCN)	D/P	NS					
28.05	Vision	Visual impairment due to diabetic retinopathy	DNC	main		CFHS (CSHCN)	NI	NS					
28.06	Vision	Visual impairment due to glaucoma	DNC	main		CFHS (CSHCN)	NI	NS					
28.07	Vision	Visual impairment due to cataract	DNC	main		CFHS (CSHCN)	NI	NS					
28.08	Vision	Occupational eye injury	DNC	main		CFHS (CSHCN)	NI	NS					
28.09	Vision	Use of protective eyewear at home	DNC	main		CFHS (CSHCN)	NI	NS					
28.10a	Vision	Use of vision rehabilitation services and devices by visually impaired persons	DNC	main		CFHS (CSHCN)	NI	NS					
28.10b	Vision	Use of visual and adaptive devices by visually impaired persons	DNC	main		CFHS (CSHCN)	NI	NS					
28.11	Hearing	Newborn hearing screening, evaluation, and intervention (age under 1 year)	DNC	main		CFHS (CSHCN)	UDOH	S & I	Same	State Newborn Hearing Screening	CY99- 97.9% of Occurent Births	CY04- 98.5% of Occurent Births	
28.12	Hearing	Otitis media - Children and adolescents (per 1,000 hospital visits, ages under 18 years)	294	main		CFHS (CSHCN)	NI	NS					
28.13	Hearing	Access to rehabilitative services and adaptive devices by hearing impaired persons	DNC	main		CFHS (CSHCN)	NI	NS					
28.14	Hearing	Hearing examination on schedule	DNC	main		CFHS (CSHCN)	NI	NS					

Focus Area 28 Title Vision and Hearing

Goal Improve the visual and hearing health of the Nation through prevention, early detection, treatment, and rehabilitation.

<i>Obj Num</i>	<i>Category</i>	<i>Objective</i>	<i>2010 US Target</i>	<i>Pop Cat</i>	<i>Population Description</i>	<i>Lead Agency</i>	<i>Level of Interest</i>	<i>Type of Interest</i>	<i>Modified</i>	<i>Data Source</i>	<i>UT Baseline</i>	<i>UT Target</i>	<i>UT Target Selection</i>
28.15	Hearing	Primary care provider referrals for hearing evaluation and treatment (number)	DNC	main		CFHS (CSHCN)	NI	NS					
28.16	Hearing	Use of ear protection devices, equipment, and practices	DNC	main		CFHS (CSHCN)	NI	NS					
28.17	Hearing	Noise-induced hearing loss in children (ages 17years and under)	DNC	main		CFHS (CSHCN)	NI	NS					
28.18	Hearing	Noise-induced hearing loss in adults	DNC	main		CFHS (CSHCN)	NI	NS					